



INTERNATIONAL
ACCREDITATION
SERVICE®

CERTIFICATE OF ACCREDITATION

This is to attest that

CSA GROUP TESTING & CERTIFICATION INC. (POINTE CLAIRE)

865 RUE ELLINGHAM
POINTE-CLAIRE, QUEBEC H9R 5E8, CANADA

Testing Laboratory TL-269

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories as well as the FDA ASCA Program specifications*, and has demonstrated compliance with ISO/IEC Standard 17025:2017, *General requirements for the competence of testing and calibration laboratories*. This organization is accredited to provide the services specified in the scope of accreditation.

Effective Date February 25, 2025



International Accreditation Service

Issued under the authority of IAS management

Visit www.iasonline.org for current accreditation information.

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CSA GROUP TESTING & CERTIFICATION INC. (POINTE CLAIRE)

www.csagroup.org

Contact Name John Sena

Contact Phone +1-216-524-4990

Accredited to ISO/IEC 17025:2017

Effective Date February 25, 2025

FDA ASCA Program

FDA ASCA Program Scope

Basic Safety and Essential Performance of Medical Electrical Equipment, Medical Electrical Systems and Laboratory Medical Equipment	
ANSI AAMI ES60601-1:2005/(R)2012 & A1:2012, C1:2009/(R)2012 & A2:2010/(R)2012 (Cons. Text) [Incl. AMD2:2021] [19-46]	Medical electrical equipment - Part 1: General requirements for basic safety and essential performance (IEC 60601-1:2005, MOD) [Including Amendment 2 (2021)]
ANSI AAMI HA60601-1-11:2015 [Including AMD1:2021] [19-47]	Medical Electrical Equipment -- Part 1-11: General requirements for basic safety and essential performance -- Collateral Standard: Requirements for medical electrical equipment and medical electrical equipment and medical electrical systems used in the home healthcare environment (IEC 60601-1-11:2015 MOD) [Including Amendment1 (2021)]
ANSI AAMI IEC 60601-2-2:2017 [6-389]	Medical electrical equipment – Part 2-2: Particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories
ANSI AAMI IEC 60601-2-25:2011/(R)2016 [3-105]	Medical electrical equipment – part 2-25: Particular requirements for the basic safety and essential performance of electrocardiographs
ANSI AAMI IEC 60601-2-27:2011 (R)2016 [3-126]	Medical electrical equipment - part 2-27: particular requirements for the basic safety and essential performance of electrocardiographic monitoring equipment
ANSI AAMI IEC 60601-2-47:2012/(R)2016 [3-155]	Medical electrical equipment – part -47: particular requirements for the basic safety and essential performance of ambulatory electrocardiographic systems
ANSI AAMI IEC 80601-2-30:2018 [3-123]	Medical electrical equipment – Part 2-30: Particular requirements for the basic safety and essential performance of automated non-invasive sphygmomanometers
IEC 60601-1-3 Edition 2.2 2021-01 CONSOLIDATED VERSION [12-336]	Medical electrical equipment - Part 1-3: General requirements for basic safety and essential performance - Collateral Standard: Radiation protection in diagnostic X-ray equipment
IEC 60601-1-6 Edition 3.2 2020-07	Medical electrical equipment – Part 1-6: General requirements for basic safety and essential performance – Collateral standard: Usability

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 2 of 28

IAS/ TL- FDA ASCA /100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CONSOLIDATED VERSION [5-132]	
IEC 60601-1-8 Edition 2.2 2020-07 CONSOLIDATED VERSION [5-131]	Medical electrical equipment - part 1-8: general requirements for basic safety and essential performance - collateral standard: general requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems Exclusion: Cl. 6.3.2.2.1 visual alarms only
IEC 60601-1-10 Edition 1.2 2020-07 CONSOLIDATED VERSION [19-37]	Medical electrical equipment – Part 1-10: General requirements for basic safety and essential performance – Collateral Standard: Requirements for the development of physiologic closed-loop controllers
IEC 60601-1-11 Edition 2.1 2020-07 CONSOLIDATED VERSION [19-38]	Medical electrical equipment – Part 1-11: General requirements for basic safety and essential performance – Collateral Standard: Requirements for medical electrical equipment and medical electrical systems used in the home healthcare environment
IEC 60601-1-12 Edition 1.1 2020-07 CONSOLIDATED VERSION [19-39]	Medical electrical equipment – Part 1-12: General requirements for basic safety and essential performance – Collateral Standard: Requirements for medical electrical equipment and medical electrical systems intended for use in the emergency medical services environment
IEC 60601-2-2 Edition 6.0 2017-03 [6-389]	Medical electrical equipment – Part 2-2: Particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories
IEC 60601-2-5: Edition 3.0 2009-07 [12-205]	Medical electrical equipment - part 2-5: particular requirements for the basic safety and essential performance of ultrasonic physiotherapy equipment
IEC 60601-2-8 Edition 2.1 b:2015 [12-301]	Medical electrical equipment - part 2-8: particular requirements for the basic safety and essential performance of therapeutic x-ray equipment operating in the range 10kV to 1MV
IEC 60601-2-10 Edition 2.1 2016-04 [17-16]	Medical electrical equipment - Part 2-10: particular requirements for the basic safety and essential performance of nerve and muscle stimulators
IEC 60601-2-18: Edition 3.0 2009-08 [9-114]	Medical electrical equipment - part 2-18: particular requirements for the basic safety and essential performance of endoscopic equipment
IEC 60601-2-19 Edition 3.0 2020-09 [6-461]	Medical electrical equipment – Part 2-19: Particular requirements for the basic safety and essential performance of infant incubators
IEC 60601-2-20 Edition 3.0 2020-09 [6-462]	Medical electrical equipment - Part 2-20: Particular requirements for the basic safety and essential performance of infant transport incubators
IEC 60601-2-21 Edition 3.0 2020-09 [6-463]	Medical electrical equipment - Part 2-21: Particular requirements for the basic safety and essential performance of infant radiant warmers
IEC 60601-2-22 Edition 3.1 2012-10 [12-268]	Medical electrical equipment - part 2-22: particular requirements for basic safety and essential performance of surgical, cosmetic, therapeutic and diagnostic laser equipment
IEC 60601-2-25 Edition 2.0 2011-10	Medical electrical equipment – part 2-25: particular requirements for the basic safety and essential performance of electrocardiographs

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 3 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

[3-105]	
IEC 60601-2-27 Edition 3.0 2011-03 [3-126]	Medical electrical equipment - part 2-27: particular requirements for the basic safety and essential performance of electrocardiographic monitoring equipment
IEC 60601-2-28 Edition 3.0 2017-06 [12-309]	Medical electrical equipment - part 2-28: particular requirements for the basic safety and essential performance of x-ray tube assemblies for medical diagnosis
IEC 60601-2-33 Ed. 3.2 b:2015 [12-295]	Medical electrical equipment - part 2-33: particular requirements for the basic safety and essential performance of magnetic resonance equipment for medical diagnosis
IEC 60601-2-33 Ed. 4.0:2022-08 [12-347]	Medical electrical equipment - part 2-33: particular requirements for the basic safety and essential performance of magnetic resonance equipment for medical diagnosis
IEC 60601-2-34 Edition 3.0 2011-05 [3-115]	Medical electrical equipment - part 2-34: particular requirements for the basic safety and essential performance of invasive blood pressure monitoring equipment
IEC 60601-2-37 Edition 2.1 2015 [12-293]	Medical electrical equipment - part 2-37: particular requirements for the basic safety and essential performance of ultrasonic medical diagnostic and monitoring equipment
IEC 60601-2-43 Edition 2.2 2019-10 CONSOLIDATED VERSION [12-329]	Medical electrical equipment - part 2-43: particular requirements for the basic safety and essential performance of x-ray equipment for interventional procedures
IEC 60601-2-43 Edition 3.0 2022-12 [12-351]	Medical electrical equipment - part 2-43: particular requirements for the basic safety and essential performance of x-ray equipment for interventional procedures
IEC 60601-2-44 Edition 3.2: 2016 [12-302]	Medical electrical equipment - part 2-44: particular requirements for the basic safety and essential performance of x-ray equipment for computed tomography
IEC 60601-2-45 Edition 3.1 2015 [12-294]	Medical electrical equipment - part 2-45: particular requirements for the basic safety and essential performance of mammographic x-ray equipment and mammographic stereotactic devices
IEC 60601-2-47 Edition 2.0 2012-02 [3-155]	Medical electrical equipment – part -47: particular requirements for the basic safety and essential performance of ambulatory electrocardiographic systems
IEC 60601-2-50 Edition 3.0 2020-09 [6-450]	Medical electrical equipment – part 2-50: particular requirements for the basic safety and essential performance of infant phototherapy equipment
IEC 60601-2-52 Edition 1.0 2009-12 [6-321]	Medical electrical equipment - part 2-52: particular requirements for the basic safety and essential performance of medical beds
IEC 60601-2-52 Edition 1.1 2015-03 CONSOLIDATED VERSION [6-489]	Medical electrical equipment - part 2-52: particular requirements for the basic safety and essential performance of medical beds
IEC 60601-2-54 Edition 2.0 2022-09 [12-348]	Medical electrical equipment - part 2-54: particular requirements for the basic safety and essential performance of x-ray equipment for radiography and radioscopy

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 4 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

IEC 60601-2-57 Edition 1.0 2011-01 [12-242]	Medical electrical equipment - part 2-57: particular requirements for the basic safety and essential performance of non-laser light source equipment intended for therapeutic, diagnostic, monitoring, and cosmetic/aesthetic use
IEC 60601-2-63 Edition 1.2 2021-05 CONSOLIDATED VERSION [12-339]	Medical electrical equipment – Part 2-63: Particular requirements for the basic safety and essential performance of dental extra-oral X-ray equipment - Edition 1.2; Consolidated Reprint
IEC 60601-2-65 Edition 1.2 2021-05 CONSOLIDATED VERSION [12-340]	Medical electrical equipment – Part 2-65: Particular requirements for the basic safety and essential performance of dental intra-oral X-ray equipment - Edition 1.2; ; Consolidated Reprint
IEC 61010-1 Edition 3.1 2017-01 CONSOLIDATED VERSION [19-34]	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 1: General requirements
IEC 80601-2-30 Edition 2.0 2018-03 [3-123]	Medical electrical equipment – Part 2-30: Particular requirements for the basic safety and essential performance of automated non-invasive sphygmomanometers
IEC 80601-2-60 Edition 2.0 2019-06 [4-262]	Medical electrical equipment – Part 2-60: Particular requirements for the basic safety and essential performance of dental equipment
ISO 80601-2-56 Second edition 2017- 03 [6-421]	Medical electrical equipment – Part 2-56: Particular requirements for basic safety and essential performance of clinical thermometers for body temperature measurement [Including: Amendment 1 (2018)]
ISO 80601-2-61 Second edition 2017- 12 (Corrected version 2018-02) [1-139]	Medical electrical equipment – Part 2-61: Particular requirements for basic safety and essential performance of pulse oximeter equipment

Regular Scope

Medical	
ANSI/AAMI ES60601-1	Medical electrical equipment- part 1: general requirements for basic safety and essential performance (IEC 60601-1:2005, MOD)
ANSI/AAMI 60601-1-8	Medical electrical equipment – part 1-8: general requirements for basic safety and essential performance- collateral standard: general requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems Exclusion: Cl. 6.3.2.2.1 visual alarms only
ANSI/AAMI HA60601-1-11	Medical electrical equipment - part 1-11: general requirements for basic safety and essential performance- collateral standard: requirements for medical electrical equipment and medical electrical systems used in the home healthcare environment

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 5 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

ANSI/AAMI 60601-1-12	Medical electrical equipment — part 1-12: general requirements for basic safety and essential performance— collateral standard: requirements for medical electrical equipment and medical electrical systems intended for use in the emergency medical services environment
ANSI/AAMI 60601-2-2	Medical electrical equipment - part 2-2: particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories
ANSI/AAMI 60601-2-4	Medical electrical equipment - part 2-4: particular requirements for basic safety and essential performance of cardiac defibrillators
ANSI/AAMI 60601-2-19	Medical electrical equipment - part 2-19: particular requirements for the basic safety and essential performance of infant incubators
ANSI/AAMI 60601-2-20	Medical electrical equipment – part 2-20: particular requirements for the basic safety and essential performance of infant transport incubators
ANSI/AAMI 60601-2-21	Medical electrical equipment – Part 2-21: particular requirements for the basic safety and essential performance of infant radiant warmers
ANSI/AAMI 60601-2-25	Medical electrical equipment – part 2-25: particular requirements for the basic safety and essential performance of electrocardiographs
ANSI/AAMI 60601-2-27	Medical electrical equipment - part 2-27: particular requirements for the basic safety and essential performance of electrocardiographic monitoring equipment
ANSI/AAMI 60601-2-47	Medical electrical equipment – part -47: particular requirements for the basic safety and essential performance of ambulatory electrocardiographic systems
ANSI/AAMI 60601-2-50	Medical electrical equipment – part 2-50: particular requirements for the basic safety and essential performance of infant phototherapy equipment
ANSI/AAMI 62304	Medical device software – software life cycle processes
ANSI/AAMI 80601-2-30	Medical electrical equipment – part 2-30: particular requirements for the basic safety and essential performance of automated type noninvasive sphygmomanometers
ANSI/AAMI MP80601-2-49	Medical electrical equipment — Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitoring equipment
ANSI/ISA-61010-1	Safety requirements for electrical equipment for measurement, control, and laboratory use – part 1:
CAN/CSA-C22.2 NO. 601.1	Medical electrical equipment - part 1: general requirements for safety
CAN/CSA C22.2 NO. 601.2.32	Medical electrical equipment – part 2: particular requirements for the safety of associated equipment of x- ray equipment
CAN/CSA C22.2 NO. 60601-1	Medical electrical equipment part 1: general requirements for basic safety and essential Performance

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 6 of 28

IAS/ TL- FDA ASCA /100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CAN/CSA C22.2 NO. 60601-1-3	Medical electrical equipment - part 1-3: general requirements for basic safety and essential performance- collateral standard: radiation protection in diagnostic x-ray equipment
CAN/CSA C22.2 NO. 60601-1-4	Medical electrical equipment – part 1-4: general requirements for safety – collateral standard: programmable electrical medical systems
CAN/CSA C22.2 NO. 60601-1-6	Medical electrical equipment - part 1-6: general requirements for basic safety and essential performance - collateral standard: usability
CAN/CSA C22.2 NO. 60601-1-8	Medical electrical equipment – part 1-8: general requirements for basic safety and essential performance- collateral standard: general requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems Exclusion: Cl. 6.3.2.2.1 visual alarms only
CAN/CSA C22.2 NO. 60601-1-9	Medical electrical equipment - part 1-9: general requirements for basic safety and essential performance- collateral standard: requirements for environmentally conscious design
CAN/CSA C22.2 NO. 60601-1-10	Medical electrical equipment - part 1-10: general requirements for basic safety and essential performance - collateral standard: requirements for the development of physiologic closed-loop controllers
CAN/CSA C22.2 NO. 60601-1-11	Medical electrical equipment - part 1-11: general requirements for basic safety and essential performance- collateral standard: requirements for medical electrical equipment and medical electrical systems used in the home healthcare environment
CAN/CSA C22.2 NO. 60601-1-12	Medical electrical equipment — part 1-12: general requirements for basic safety and essential performance— collateral standard: requirements for medical electrical equipment and medical electrical systems intended for use in the emergency medical services environment
CAN/CSA C22.2 NO. 60601-2-2	Medical electrical equipment - part 2-2: particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories
CAN/CSA C22.2 NO. 60601-2-4	Medical electrical equipment - part 2-4: particular requirements for basic safety and essential performance of cardiac defibrillators
CAN/CSA C22.2 NO. 60601-2-7	Medical electrical equipment - part 2-7: particular requirements for the safety of high-voltage generators of diagnostic x-ray generators
CAN/CSA C22.2 No. 601.2.10	Medical electrical equipment - Part 2-10: particular requirements for the basic safety and essential performance of nerve and muscle stimulators
CAN/CSA C22.2 No. 60601-2-10	Medical electrical equipment - Part 2-10: particular requirements for the basic safety and essential performance of nerve and muscle stimulators
CAN/CSA C22.2 NO. 60601-2-18	Medical electrical equipment - part 2-18: particular particular requirements for the basic safety and essential performance of endoscopic equipment

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 7 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CAN/CSA C22.2 NO. 60601-2-19	Medical electrical equipment - part 2-19: particular requirements for the basic safety and essential performance of infant incubators
CAN/CSA C22.2 NO. 60601-2-20	Medical electrical equipment – part 2-20: particular requirements for the basic safety and essential performance of infant transport incubators
CAN/CSA C22.2 NO. 60601-2-21	Medical electrical equipment – Part 2-21: particular requirements for the basic safety and essential performance of infant radiant warmers
CAN/CSA C22.2 NO. 60601-2-22	Medical electrical equipment - part 2-22: particular requirements for basic safety and essential performance of surgical, cosmetic, therapeutic and diagnostic laser equipment
CAN/CSA C22.2 NO. 60601-2-24	Medical electrical equipment - part 2-24: particular requirements for the basic safety and essential performance of infusion pumps and controllers
CAN/CSA C22.2 NO. 60601-2-25	Medical electrical equipment – part 2-25: particular requirements for the basic safety and essential performance of electrocardiographs
CAN/CSA C22.2 NO. 60601-2-26	Medical electrical equipment - part 2-26: particular requirements for the basic safety and essential performance of electroencephalographs
CAN/CSA C22.2 NO. 60601-2-27	Medical electrical equipment - part 2-27: particular requirements for the basic safety and essential performance of electrocardiographic monitoring equipment
CAN/CSA C22.2 NO. 60601-2-28	Medical electrical equipment - part 2-28: particular requirements for the basic safety and essential performance of x-ray tube assemblies for medical diagnosis
CAN/CSA C22.2 NO. 60601-2-33	Medical electrical equipment - part 2-33: particular requirements for the basic safety and essential performance of magnetic resonance equipment for medical diagnosis
CAN/CSA C22.2 NO. 60601-2-34	Medical electrical equipment - part 2-34: particular requirements for the basic safety and essential performance of invasive blood pressure monitoring equipment
CAN/CSA C22.2 NO. 60601-2-37	Medical electrical equipment - part 2-37: particular requirements for the basic safety and essential performance of ultrasonic medical diagnostic and monitoring equipment
CAN/CSA C22.2 NO. 60601-2-38	Medical electrical equipment - part 2-38: particular requirements for the safety of electrically operated hospital beds
CAN/CSA C22.2 NO. 60601-2-40	Medical electrical equipment – part 2-40: particular requirements for the safety of electromyographs and evoked response equipment
CAN/CSA C22.2 NO. 60601-2-43	Medical electrical equipment - part 2-43: particular requirements for the basic safety and essential performance of x-ray equipment for interventional procedures
CAN/CSA C22.2 NO. 60601-2-44	Medical electrical equipment - part 2-44: particular requirements for the basic safety and essential performance of x-ray equipment for computed tomography

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 8 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CAN/CSA C22.2 NO. 60601-2-45	Medical electrical equipment - part 2-45: particular requirements for the basic safety and essential performance of mammographic x-ray equipment and mammographic stereotactic devices
CAN/CSA C22.2 NO. 60601-2-46	Medical electrical equipment - part 2-46: particular requirements for the basic safety and essential performance of operating tables
CAN/CSA C22.2 NO. 60601-2-47	Medical electrical equipment – part -47: particular requirements for the basic safety and essential performance of ambulatory electrocardiographic systems
CAN/CSA C22.2 NO. 60601-2-49	Medical electrical equipment – Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitoring equipment
CAN/CSA C22.2 NO. 60601-2-50	Medical electrical equipment – part 2-50: particular requirements for the basic safety and essential performance of infant phototherapy equipment
CAN/CSA C22.2 NO. 60601-2-51	Medical electrical equipment – part 2-51: particular requirements for safety, including essential performance, of recording and analyzing single channel and multichannel electrocardiographs
CAN/CSA C22.2 NO. 60601-2-52	Medical electrical equipment - part 2-52: particular requirements for the basic safety and essential performance of medical beds
CAN/CSA C22.2 NO. 60601-2-54	Medical electrical equipment - part 2-54: particular requirements for the basic safety and essential performance of x-ray equipment for radiography and radioscopy
CAN/CSA C22.2 NO. 60601-2-57	Medical electrical equipment - part 2-57: particular requirements for the basic safety and essential performance of non-laser light source equipment intended for therapeutic, diagnostic, monitoring, and cosmetic/aesthetic use
CAN/CSA C22.2 NO. 60601-2-63	Medical electrical equipment – part 2-63: particular requirements for the basic safety and essential performance of dental extra-oral X-ray equipment
CAN/CSA C22.2 NO. 60601-2-65	Medical electrical equipment – part 2-65: particular requirements for the basic safety and essential performance of dental intra-oral X-ray equipment
CAN/CSA C22.2 NO. 60601-2-66	Medical electrical equipment – part 2-66 particular requirements for the basic safety and essential performance of hearing instruments and hearing instrument systems
CAN/CSA C22.2 NO. 61010-031	Safety requirements for electrical equipment for measurement, control and laboratory use – Part 031: Safety Requirements for Hand-Held Probe Assemblies for Electrical Measurement and Test
CAN/CSA C22.2 NO. 61010-1	Safety requirements for electrical equipment for measurement, control, and laboratory use – part 1:
CAN/CSA C22.2 NO. 61010-2-010	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 2- 010: Particular requirements for laboratory equipment for the heating of materials

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 9 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CAN/CSA C22.2 NO. 61010-2-020	Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-020: Particular requirements for laboratory centrifuges
CAN/CSA C22.2 NO. 61010-2-030	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-030: Particular requirements for testing and measuring circuits
CAN/CSA C22.2 NO. 61010-2-032	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-032: Particular requirements for hand-held and hand-manipulated current sensors for electrical test and measurement
CAN/CSA C22.2 NO. 61010-2-040	Safety requirements for electrical equipment for measurement, control, and laboratory use - part 2-040: particular requirements for sterilizers and washer-disinfectors used to treat medical materials
CAN/CSA C22.2 NO. 61010-2-051	Safety requirements for electrical equipment for measurement, control, and laboratory use — part 2-051: mixing and stirring
CAN/CSA C22.2 NO. 61010-2-081	Safety requirements for electrical equipment for measurement, control and laboratory use — part 2-081: particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes
CAN/CSA C22.2 NO. 61010-2-091	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-091: Particular requirements for cabinet X-ray systems
CAN/CSA C22.2 NO. 61010-2-101	Safety requirements for electrical equipment for measurement, control, and laboratory use- Part 2-101: Particular requirements for invitro diagnostic (IVD) medical equipment
CAN/CSA C22.2 NO. 61010-2-201	Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-201: Particular requirements for control equipment
CAN/CSA C22.2 NO. 62304	Medical device software – software life cycle processes
CAN/CSA C22.2 NO. 80601-2-30	Medical electrical equipment – part 2-30: particular requirements for the basic safety and essential performance of automated type noninvasive sphygmomanometers
CAN/CSA C22.2 NO. 80601-2-56	Medical electrical equipment – part 2-56: particular requirements for the basic safety and essential performance of clinical thermometers for body temperature measurement
CAN/CSA C22.2 NO. 80601-2-58	Medical electrical equipment – part -58: particular requirements for the basic safety and essential performance of lens removal devices and vitrectomy devices for ophthalmic surgery
CAN/CSA C22.2 NO. 80601-2-60	Medical electrical equipment – part 2-60: particular requirements for the basic safety and essential performance of dental equipment
CAN/CSA C22.2 NO. 80601-2-61	Medical electrical equipment – part 2-61: particular requirements for the basic safety and essential performance of pulse oximeter equipment

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 10 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CSA C22.2 NO. 80601-2-49	Medical electrical equipment — Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitoring equipment
IEC 62304	Medical device software – software life cycle processes
IEC 601-2-10	Medical electrical equipment – Part 2-10: particular requirements for the basic safety and essential performance of nerve and muscle stimulators
IEC 601-2-38	Medical electrical equipment – part 2-38: particular requirements for the safety of electrically operated hospital beds
IEC 60601-1	Medical electrical equipment part 1: general requirements for basic safety and essential Performance
IEC 60601-1-3	Medical electrical equipment – part 1-3: general requirements for basic safety and essential performance – collateral standard: radiation protection in diagnostic x-ray equipment
IEC 60601-1-4	Medical electrical equipment – part 1-4: general requirements for safety – collateral standard: programmable electrical medical systems
IEC 60601-1-6	Medical electrical equipment – part 1-6: general requirements for basic safety and essential performance – collateral standard: usability
IEC 60601-1-8	Medical electrical equipment – part 1-8: general requirements for basic safety and essential performance- collateral standard: general requirements, tests and guidance for alarm systems in medical electrical equipment and medical electrical systems Exclusion: Cl. 6.3.2.2.1 visual alarms only
IEC 60601-1-9	Medical electrical equipment – part 1-9: general requirements for basic safety and essential performance – collateral standard: requirements for environmentally conscious design
IEC 60601-1-10	Medical electrical equipment – part 1-10: general requirements for basic safety and essential performance – collateral standard: requirements for the development of physiologic closed-loop controllers
IEC 60601-1-11	Medical electrical equipment – part 1-11: general requirements for basic safety and essential performance – collateral standard: requirements for medical electrical equipment and medical electrical systems used in the home healthcare environment
IEC 60601-1-12	Medical electrical equipment – part 1-12: general requirements for basic safety and essential performance – collateral standard: requirements for medical electrical equipment and medical electrical systems intended for use in the emergency medical services environment
IEC 60601-2-2	Medical electrical equipment – part 2-2: particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 11 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

IEC 60601-2-4	Medical electrical equipment – part 2-4: particular requirements for basic safety and essential performance of cardiac defibrillators
IEC 60601-2-5	Medical electrical equipment – part 2-5: particular requirements for the basic safety and essential performance of ultrasonic physiotherapy equipment
IEC 60601-2-7	Medical electrical equipment – part 2-7: particular requirements for the safety of high-voltage generators of diagnostic x-ray generators
IEC 60601-2-10	Medical electrical equipment – Part 2-10: particular requirements for the basic safety and essential performance of nerve and muscle stimulators
IEC 60601-2-18	Medical electrical equipment – part 2-18: particular particular requirements for the basic safety and essential performance of endoscopic equipment
IEC 60601-2-19	Medical electrical equipment – part 2-19: particular requirements for the basic safety and essential performance of infant incubators
IEC 60601-2-20	Medical electrical equipment – part 2-20: particular requirements for the basic safety and essential performance of infant transport incubators
IEC 60601-2-21	Medical electrical equipment – Part 2-21: particular requirements for the basic safety and essential performance of infant radiant warmers
IEC 60601-2-22	Medical electrical equipment – part 2-22: particular requirements for basic safety and essential performance of surgical, cosmetic, therapeutic and diagnostic laser equipment
IEC 60601-2-24	Medical electrical equipment – part 2-24: particular requirements for the basic safety and essential performance of infusion pumps and controllers
IEC 60601-2-25	Medical electrical equipment – part 2-25: particular requirements for the basic safety and essential performance of electrocardiographs
IEC/EN60601-2-26	Medical electrical equipment – part 2-26: particular requirements for the basis safety and essential performance of electroencephalographs
IEC 60601-2-27	Medical electrical equipment – part 2-27: particular requirements for the basic safety and essential performance of electrocardiographic monitoring equipment
IEC 60601-2-28	Medical electrical equipment – part 2-28: particular requirements for the basic safety and essential performance of x-ray tube assemblies for medical diagnosis
IEC 60601-2-33	Medical electrical equipment – part 2-33: particular requirements for the basic safety and essential performance of magnetic resonance equipment for medical diagnosis
IEC 60601-2-34	Medical electrical equipment – part 2-34: particular requirements for the basic safety and essential performance of invasive blood pressure monitoring equipment
IEC 60601-2-37	Medical electrical equipment – part 2-37: particular requirements for the basic safety and essential performance of ultrasonic medical diagnostic and monitoring equipment

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 12 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

IEC 60601-2-40	Medical electrical equipment – part 2-40: particular requirements for the safety of electromyographs and evoked response equipment
IEC 60601-2-43	Medical electrical equipment – part 2-43: particular requirements for the basic safety and essential performance of x-ray equipment for interventional procedures
IEC 60601-2-44	Medical electrical equipment – part 2-44: particular requirements for the basic safety and essential performance of x-ray equipment for computed tomography
IEC 60601-2-45	Medical electrical equipment – part 2-45: particular requirements for the basic safety and essential performance of mammographic x-ray equipment and mammographic stereotactic devices
IEC 60601-2-46	Medical electrical equipment – part 2-46: particular requirements for the basic safety and essential performance of operating tables
IEC 60601-2-47	Medical electrical equipment – part -47: particular requirements for the basic safety and essential performance of ambulatory electrocardiographic systems
IEC 60601-2-49	Medical electrical equipment – Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitoring equipment
IEC 60601-2-50	Medical electrical equipment – part 2-50: particular requirements for the basic safety and essential performance of infant phototherapy equipment
IEC 60601-2-51	Medical electrical equipment – part 2-51: particular requirements for safety, including essential performance, of recording and analyzing single channel and multichannel electrocardiographs
IEC 60601-2-52	Medical electrical equipment – part 2-52: particular requirements for the basic safety and essential performance of medical beds
IEC 60601-2-54	Medical electrical equipment – part 2-54: particular requirements for the basic safety and essential performance of x-ray equipment for radiography and radioscopy
IEC 60601-2-57	Medical electrical equipment – part 2-57: particular requirements for the basic safety and essential performance of non-laser light source equipment intended for therapeutic, diagnostic, monitoring, and cosmetic/aesthetic use
IEC 60601-2-63	Medical electrical equipment – part 2-63: particular requirements for the basic safety and essential performance of dental extra-oral X-ray equipment
IEC 60601-2-65	Medical electrical equipment – part 2-65: particular requirements for the basic safety and essential performance of dental intra-oral X-ray equipment
IEC 60601-2-66	Medical electrical equipment – part 2-66 particular requirements for the basic safety and essential performance of hearing instruments and hearing instrument systems
IEC 61010-031	Safety requirements for electrical equipment for measurement, control and laboratory use – Part 031: Safety Requirements for Hand-Held Probe Assemblies for Electrical Measurement and Test

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 13 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

IEC 61010-1	Safety requirements for electrical equipment for measurement, control, and laboratory use – part 1:
IEC 61010-2-010	Safety requirements for electrical equipment for measurement, control and laboratory use – Part 2- 010: Particular requirements for laboratory equipment for the heating of materials
IEC 61010-2-020	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-020: Particular requirements for laboratory centrifuges
IEC 61010-2-030	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-030: Particular requirements for testing and measuring circuits
IEC 61010-2-032	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-032: Particular requirements for hand-held and hand-manipulated current sensors for electrical test and measurement
IEC 61010-2-040	Safety requirements for electrical equipment for measurement, control, and laboratory use – part 2-040: particular requirements for sterilizers and washer-disinfectors used to treat medical materials
IEC 61010-2-051	Safety requirements for electrical equipment for measurement, control, and laboratory use – part 2-051: mixing and stirring
IEC 61010-2-081	Safety requirements for electrical equipment for measurement, control and laboratory use – part 2-081: particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes
IEC 61010-2-091	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-091: Particular requirements for cabinet X-ray systems
IEC 61010-2-101	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-101: Particular requirements for invitro diagnostic (IVD) medical equipment
IEC 61010-2-201	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-201: Particular requirements for control equipment
IEC 80601-2-30	Medical electrical equipment – part 2-30: particular requirements for the basic safety and essential performance of automated type noninvasive sphygmomanometers
IEC 80601-2-49	Medical electrical equipment — Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitoring equipment
IEC 80601-2-56	Medical electrical equipment – part 2-56: particular requirements for the basic safety and essential performance of clinical thermometers for body temperature measurement
IEC 80601-2-58	Medical electrical equipment – part -58: particular requirements for the basic safety and essential performance of lens removal devices and vitrectomy devices for ophthalmic surgery

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 14 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

IEC 80601-2-60	Medical electrical equipment – part 2-60: particular requirements for the basic safety and essential performance of dental equipment
ISO 80601-2-61	Medical electrical equipment – part 2-61: particular requirements for the basic safety and essential performance of pulse oximeter equipment
UL 60601-1	Medical electrical equipment - part 1: general requirements for safety
UL 61010-031	Safety requirements for electrical equipment for measurement, control and laboratory use – Part 031: Safety Requirements for Hand-Held Probe Assemblies for Electrical Measurement and Test
UL 61010-1	Safety requirements for electrical equipment for measurement, control, and laboratory use – part 1:
UL 61010-2-010	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 2- 010: Particular requirements for laboratory equipment for the heating of materials
UL 61010-2-020	Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-020: Particular requirements for laboratory centrifuges
UL 61010-2-030	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-030: Particular requirements for testing and measuring circuits
UL 61010-2-032	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-032: Particular requirements for hand-held and hand-manipulated current sensors for electrical test and measurement
UL 61010-2-040	Safety requirements for electrical equipment for measurement, control, and laboratory use - part 2-040: particular requirements for sterilizers and washer-disinfectors used to treat medical materials
UL 61010-2-051	Safety requirements for electrical equipment for measurement, control, and laboratory use — part 2-051: mixing and stirring
UL 61010-2-081	Safety requirements for electrical equipment for measurement, control and laboratory use — part 2-081: particular requirements for automatic and semi-automatic laboratory equipment for analysis and other purposes
UL 61010-2-091	Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-091: Particular requirements for cabinet X-ray systems
UL 61010-2-101	Safety requirements for electrical equipment for measurement, control, and laboratory use- Part 2-101: Particular requirements for invitro diagnostic (IVD) medical equipment
UL 61010-2-201	Safety requirements for electrical equipment for measurement, control, and laboratory use - Part 2-201: Particular requirements for control equipment
Electrical	

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 15 of 28

IAS/ TL- FDA ASCA /100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

ANCE NMX-J-017	Conduit, tubing, and cable fittings
ANCE NMX- J-023/1	Metallic outlet boxes
ANSI/UL 60730-1	Automatic electrical controls – Part 1: General requirements
ANSI/UL 60730-2-9	Automatic electrical controls – Part 2-9: Particular requirements for temperature sensing controls
ASME-A17.5	Elevator and escalator electrical equipment
CAN/CSA C22.2 NO. 0.17	Evaluation of properties of polymeric materials
CAN/CSA C22.2 NO. 94	Special purpose enclosures
CAN/CSA C22.2 NO. 111	General-use snap switches
CAN/CSA C22.2 NO. 113	Fans and ventilators
CAN/CSA C22.2 NO. 250.13	Light emitting diode (LED) equipment for lighting applications
CAN/CSA C22.2 NO. 60335-1	Safety of household and similar appliances - part 1: general requirements
CAN/CSA C22.2 NO. 60335-2-24	Household and similar electrical appliances – safety – Part 2-24: particular requirements for refrigerating appliances, ice-cream appliances and ice makers
CAN/CSA-C22.2 NO. 60335-2-45	Household and similar electrical appliances - Safety – Part 2-45: Particular requirements for portable heating tools and similar appliances
CAN/CSA C22.2 No. 60335-2-80	Household and similar electrical appliances – safety - Part 2- 80: Particular requirements for fans
CAN/CSA C22.2 NO. 60745-1	Hand-Held Motor-Operated Electric Tools - Safety - Part 1: General Requirement
CAN/CSA C22.2 NO. 60947-1	Low-voltage switchgear and controlgear - part 1: general rules
CAN/CSA C22.2 NO. 60947-5-1	Low-voltage switchgear and controlgear - part 5-1: control circuit devices and switching elements – electromechanical control circuit devices
CAN/CSA C22.2 NO. 60947-5-2	Low-voltage switchgear and controlgear - part 5-2: control circuit devices and switching elements – proximity switches
CAN/CSA E60335-2-3	Household and similar electrical appliances - safety – Part 2-3: particular requirements for electric irons

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 16 of 28

IAS/ TL- FDA ASCA /100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CAN/CSA E60335-2-6	Safety of household and similar electrical appliances - safety - part 2-6: particular requirements for stationary cooking ranges, hobs, ovens and similar appliances
CAN/CSA E60335-2-9	Household and similar electrical appliances - safety – Part 2-9: particular requirements for grills, toasters and similar portable cooking appliances
CAN/CSA E60335-2-13	Household and similar electrical appliances - safety – Part 2-13: particular requirements for deep fat fryers, frying pans and similar appliances
CAN/CSA E60335-2-15	Household and similar electrical appliances - safety – Part 2-15: particular requirements for appliances for heating liquids
CAN/CSA E60335-2-23	Household and similar electrical appliances safety part 2-23: particular requirements for appliances for skin or hair care
CAN/CSA E60335-2-30	Household and similar electrical appliances - safety – Part 2-30: particular requirements for room heaters
CAN/CSA E60335-2-32	Safety of household and similar electrical appliances – Part 2: particular requirements for massage appliances
CAN/CSA E60335-2-41	Household and similar electrical appliances - safety –Part 2-41: particular requirements for pumps
CAN/CSA E60335-2-51	Safety of household and similar electrical appliances – Part 2: particular requirements for stationary circulation pumps for heating and service water installations
CAN/CSA-E60335-2-61	Household and similar electrical appliances Safety Part 2-61: Particular requirements for thermal storage room heaters
CAN/CSA E60335-2-65	Household and similar electrical appliances - safety – Part 2-65: particular requirements for air-cleaning appliances
CAN/CSA E60730-1	Automatic electrical controls – Part 1: General requirements
CAN/CSA E60730-2-9	Automatic electrical controls – Part 2-9: Particular requirements for temperature sensing controls
CSA B44.1-14	Elevator and escalator electrical equipment
CSA C22.2 NO. 0.4	Bonding of electrical equipment
CSA C22.2 NO. 4	Enclosed and dead-front switches
CSA C22.2 NO. 10	Electric floor surfacing and cleaning machines
CSA C22.2 NO. 13	Transformers for oil- or gas-burner ignition equipment
CSA C22.2 NO. 14	Industrial control equipment
CSA C22.2 NO. 18.1	Metallic outlet boxes

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 17 of 28

IAS/ TL- FDA ASCA /100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CSA C22.2 NO. 18.2	Nonmetallic outlet boxes
CSA C22.2 NO. 18.3	Conduit, tubing, and cable fittings
CSA C22.2 NO. 36	Hairdressing equipment
CSA C22.2 NO. 37	Decorative lighting products
CSA C22.2 NO. 41	Grounding and bonding equipment
CSA C22.2 NO. 53	Electric washing machines
CSA C22.2 NO. 55	Special use switches
CSA C22.2 NO. 61	Household cooking ranges
CSA C22.2 NO. 64	Household cooking and liquid-heating appliances
CSA C22.2 NO. 66.1	Low voltage transformers - part 1: general requirements
CSA C22.2 NO. 66.2	Low voltage transformers - part 2: general purpose transformers
CSA C22.2 NO. 66.3	Low voltage transformers - part 3: class 2 and class 3 transformers
CSA C22.2 NO. 68	Motor-operated appliances (household and commercial)
CSA C22.2 NO. 73	Construction and test of electrically equipped machine tools
CSA C22.2 NO. 76	Splitters
CSA C22.2 NO. 77	Motors with inherent overheating protection
CSA C22.2 NO. 81	Electric irons
CSA C22.2 NO. 88	Industrial heating equipment
CSA C22.2 NO. 89	Swimming-pool luminaires, submersible luminaires, and accessories
CSA C22.2 NO. 94.1	Enclosures for electrical equipment, non-environmental considerations
CSA C22.2 NO. 94.2	Enclosures for electrical equipment, environmental considerations
CSA C22.2 NO. 99	Construction and test of domestic ironing machines
CSA C22.2 NO. 100	Motors and generators
CSA C22.2 NO. 102	Brooders and incubators
CSA C22.2 NO. 105	Electrical equipment for woodworking machinery
CSA C22.2 NO. 107.1	Power conversion equipment
CSA C22.2 NO. 107.2	Battery chargers
CSA C22.2 NO. 108	Liquid pumps

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 18 of 28

IAS/ TL- FDA ASCA /100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CSA C22.2 NO. 109	Commercial cooking appliances
CSA C22.2 NO. 112	Electric clothes dryers
CSA C22.2 NO. 115	Meter-mounting devices
CSA C22.2 NO. 122	Hand-held electrically heated tools
CSA C22.2 NO. 139	Electrically operated valves
CSA C22.2 NO. 141	Emergency lighting equipment
CSA C22.2 NO. 142	Process control equipment
CSA C22.2 NO. 147	Motor-operated gardening appliances
CSA C22.2 NO. 149	Electrically operated toys
CSA C22.2 NO. 153	Electrical quick-connect terminals
CSA C22.2 NO. 156	Solid-state speed controls
CSA C22.2 NO. 158	Terminal blocks
CSA C22.2 NO. 166	Stage and studio luminaires
CSA C22.2 NO. 169	Electric clothes washing machines and extractors
CSA C22.2 NO. 173	Transformers for toy and hobby use
CSA C22.2 NO. 177	Clock-operated switches
CSA C22.2 NO. 182.1	Plugs, receptacles, and cable connectors of the pin and sleeve type
CSA C22.2 NO. 182.2	Industrial locking type, special use attachment plugs, receptacles and connectors
CSA C22.2 NO. 182.3	Special use attachment plugs, receptacles and connectors
CSA C22.2 NO. 187	Electrostatic air cleaners
CSA C22.2 NO. 195	Motor-operated food processing appliances (household and commercial)
CSA C22.2 NO. 205	Signal equipment
CSA C22.2 NO. 207	Portable and stationary electric signs and displays
CSA C22.2 NO. 221	Electrically heated hobby and educational type kilns
CSA C22.2 NO. 223	Power supplies with extra-low-voltage class 2 outputs
CSA C22.2 NO. 243	Vacuum cleaners, blower cleaners, and household floor finishing machines
CSA C22.2 NO. 247	Operators and Systems of Doors, Gates, Draperies, and Louvers
CSA C22.2 NO. 250.0	Luminaires

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 19 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CSA C22.2 NO. 250.1	Retrofit kits or luminaire conversion
CSA C22.2 NO. 250.2	Lighting Systems
CSA C22.2 NO. 250.4	Portable Luminaires
CSA C22.2 NO. 250.7	Extra-low-voltage landscape lighting systems
CSA C22.2 NO. 250.570	Track Lighting
CSA C22.2 NO. 256	Direct plug-in nightlights
CSA C22.2 NO. 280	Electric Vehicle Supply Equipment
CSA C22.2 NO. 60335-2-3	Household and similar electrical appliances - safety – Part 2-3: particular requirements for electric irons
CSA C22.2 NO. 60335-2-6	Safety of household and similar electrical appliances - safety - part 2-6: particular requirements for stationary cooking ranges, hobs, ovens and similar appliances
CSA C22.2 NO. 60335-2-9	Household and similar electrical appliances - safety – Part 2-9: particular requirements for grills, toasters and similar portable cooking appliances
CSA C22.2 NO. 60335-2-13	Household and similar electrical appliances - safety – Part 2-13: particular requirements for deep fat fryers, frying pans and similar appliances
CSA C22.2 NO. 60335-2-15	Household and similar electrical appliances - safety – Part 2-15: particular requirements for appliances for heating liquids
CSA C22.2 NO. 60335-2-23	Household and similar electrical appliances safety part 2-23: particular requirements for appliances for skin or hair care
CSA C22.2 NO. 60335-2-27	Household and similar electrical appliances - Safety - Part 2-27: Particular requirements for appliances for skin exposure to optical radiation
CSA C22.2 NO. 60335-2-3	Household and similar electrical appliances - safety – Part 2-3: particular requirements for electric irons
CSA C22.2 NO. 60335-2-31	Household and similar electrical appliances — Safety — Part 2-31: Particular requirements for range hoods and other cooking fume extractors
CSA C22.2 NO. 60335-2-32	Household and similar appliances – Safety – Part 2-32: particular requirements for massage appliances
CSA C22.2 NO. 60335-2-41	Household and similar electrical appliances - safety –Part 2-41: particular requirements for pumps
CSA C22.2 NO. 60335-2-51	Safety of household and similar electrical appliances – Part 2: particular requirements for stationary circulation pumps for heating and service water installations

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 20 of 28

IAS/ TL- FDA ASCA /100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CSA C22.2 NO. 60335-2-61	Household and similar electrical appliances Safety Part 2-61: Particular requirements for thermal storage room heaters
CSA C22.2 NO. 60335-2-65	Household and similar electrical appliances - safety – Part 2-65: particular requirements for air-cleaning appliances
CSA C22.2 NO. 60529	Degrees of protection provided by enclosures (IP code)
CSA C22.2 NO. 60947-4-1	Low-voltage switchgear and controlgear – part 4-1: contactors and motor-starters – electromechanical contactors and motor-starters
CSA C22.2 NO. 60950-1	Information technology equipment – safety – part 1: general requirements
CSA C22.2 NO. 60950-22	Information technology equipment – safety – part 22: 2 equipment to be installed outdoors
CSA C22.2 NO. 62368-1	Audio/video, information and communication technology equipment – part 1: safety requirements
CSA E60335-2-2	Household and similar electrical appliances – safety – Part 2-2: particular requirements for vacuum cleaners and water-suction cleaning appliances
IEC 60335-2-34	Household and similar electrical appliances - Safety - Part 2-34: Particular requirements for motor-compressors
IEC 60335-2-80	Household and similar electrical appliances – safety – Part 2- 80: Particular requirements for fans
IEC 60529	Degrees of protection provided by enclosures (IP code)
IEC 60730-1	Automatic electrical controls – Part 1: General requirements
IEC 60730-2-9	Automatic electrical controls – Part 2-9: Particular requirements for temperature sensing controls
IEC 60947-5-1	Low-voltage switchgear and controlgear – part 5-1: control circuit devices and switching elements – electromechanical control circuit devices
IEC 60947-5-2	Low-voltage switchgear and controlgear – part 5-2: control circuit devices and switching elements – proximity switches
NMX-J-005-ANCE	General-use snap switches
NMX-J-162-ANCE	Enclosed and dead-front switches
NMX-J-235/1- ANCE	Enclosures for electrical equipment, non-environmental considerations
NMX-J-235/2- ANCE	Enclosures for electrical equipment, environmental considerations
NMX-J-515-ANCE	Low-voltage switchgear and controlgear – part 1: general rules
NMX-J-578/1-ANCE	Self-ballasted lamps and lamp adapters

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 21 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

NMX-J-590-ANCE	Grounding and bonding equipment
NMX-J-677-ANCE	Electric Vehicle Supply Equipment
UL 20	General-use snap switches
UL 22	Standard for amusement and gaming machines
UL 48	Standard for electric signs
UL 50	Enclosures for electrical equipment, non-environmental considerations
UL 50E	Enclosures for electrical equipment, environmental considerations
UL 65	Standard for wired cabinets
UL 73	Standard for motor-operated appliances
UL 82	Standard for electric gardening appliances
UL 98	Enclosed and dead-front switches
UL 98A	Outline of investigation for open type switches
UL 141	Standard for garment finishing appliances
UL 150	Standard for antenna rotators
UL 153	Standard for portable electric luminaires
UL 197	Standard for commercial electric cooking appliances
UL 291	Standard for automated teller systems
UL 310	Electrical quick-connect terminals
UL 325	Standard for door, drapery, gate, louver, and window operators and systems
UL 429	Standard for electrically operated valves
UL 430	Standard for waste disposers
UL 464	Standard for power converters/inverters and power converter/inverter systems for land vehicles and marine crafts
UL 466	Standard for electric scales
UL 467	Grounding and bonding equipment
UL 469	Standard for musical instruments and accessories
UL 498	Standard for attachment plugs and receptacles
UL 506	Standard for specialty transformers
UL 508	Standard for industrial control equipment

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 22 of 28

IAS/ TL- FDA ASCA /100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

UL 508A	Standard for industrial control panels
UL 514A	Metallic outlet boxes
UL 514B	Conduit, tubing, and cable fittings
UL 514C	Standard for nonmetallic outlet boxes, flush-device boxes, and covers
UL 514D	Cover plates for flush-mounted wiring devices
UL 561	Standard for floor-finishing machines
UL 563	Standard for ice makers
UL 588	Standard for seasonal and holiday decorative products
UL 603	Standard for power supplies for use with burglar-alarm systems
UL 621	Standard for ice cream makers
UL 696	Standard for electric toys
UL 697	Standard for toy transformers
UL 705	Standard for power ventilators
UL 745-1	Portable electric tools
UL 746C	Standard for polymeric materials – use in electrical equipment evaluations
UL 756	Standard for coin and currency changers and actuators
UL 763	Standard for motor-operated commercial food preparing machines
UL 778	Standard for motor-operated water pumps
UL 858	Standard for household electric ranges
UL 859	Standard for household electric personal grooming appliances
UL 863	Standard for time-indicating and -recording appliances
UL 867	Standard for electrostatic air cleaners
UL 869A	Reference standard for service equipment
UL 917	Standard for clock-operated switches
UL 924	Standard for emergency lighting and power equipment
UL 961	Standard for electric hobby and sports equipment
UL 962	Standard for household and commercial furnishings
UL 963	Standard for sealing, wrapping, and marking equipment

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 23 of 28

IAS/ TL- FDA ASCA /100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

UL 982	Standard for motor-operated household food preparing machines
UL 987	Standard for stationary and fixed electric tools
UL 1004-1	Standard for rotating electrical machines – general requirements
UL 1012	Standard for power units other than class 2
UL 1017	Vacuum cleaners, blower cleaners, and household floor finishing machines
UL 1018	Standard for electric aquarium equipment
UL 1026	Standard for household electric cooking and food serving appliances
UL 1054	Standard for special-use switches
UL 1059	Standard for terminal blocks
UL 1081	Standard for swimming pool pumps, filters, and chlorinators
UL 1082	Standard for household electric coffee makers and brewing-type appliances
UL 1083	Household electric skillets and frying-type appliances
UL 1086	Standard for household trash compactors
UL 1090	Standard for electric snow movers
UL 1206	Standard for electric commercial clothes-washing equipment
UL 1236	Standard for battery chargers for charging engine-starter batteries
UL 1240	Standard for electric commercial clothes-drying equipment
UL 1241	Standard for junction boxes for swimming pool luminaires
UL 1310	Standard for class 2 power units
UL 1411	Standard for transformers and motor transformers for use in audio-, radio-, and television-type appliances
UL 1431	Standard for personal hygiene and health care appliances
UL 1437	Standard for electrical analog instruments – panel board types
UL 1450	Standard for motor-operated air compressors, vacuum pumps, and painting equipment
UL 1561	Standard for dry-type general purpose and power transformers
UL 1562	Standard for transformers, distribution, dry-type – over 600 volts
UL 1564	Standard for industrial battery chargers
UL 1567	Standard for receptacles and switches intended for use with aluminum wire

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 24 of 28

IAS/ TL- FDA ASCA /100-1



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

UL 1574	Standard for track lighting systems
UL 1594	Standard for sewing and cutting machines
UL 1598	Luminaires
UL 1598C	Light-Emitting Diode (LED) Retrofit Luminaire Conversion Kits
UL 1647	Standard for motor-operated massage and exercise machines
UL 1682	Plugs, receptacles, and cable connectors of the pin and sleeve type
UL 1727	Standard for commercial electric personal grooming appliances
UL 1795	Standard for hydromassage bathtubs
UL 1838	Standard for low voltage landscape lighting systems
UL 1876	Standard for isolating signal and feedback transformers for use in electronic equipment
UL 2108	Standard for low voltage lighting systems
UL 2157	Electric clothes washing machines and extractors
UL 2158	Electric clothes dryers
UL 2594	Electric Vehicle Supply Equipment
UL 5085-1	Low voltage transformers - part 1: general requirements
UL 5085-2	Low voltage transformers - part 2: general purpose transformers
UL 5085-3	Low voltage transformers - part 3: class 2 and class 3 transformers
UL 8750	Standard for light emitting diode (LED) equipment for use in lighting products
UL 60335-1	Safety of household and similar appliances - part 1: general requirements
UL 60335-2-3	Standard for safety of household and similar electrical appliances - part 2-3: particular requirements for electric irons
UL 60335-2-8	Standard for safety for household and similar electrical appliances - part 2-8: particular requirements for shavers, hair clippers, and similar appliances
UL 60335-2-24	Safety requirements for household and similar electrical appliances - part 2-24: particular requirements for refrigerating appliances, ice-cream appliances and ice-makers
UL 60745-1	Hand-Held Motor-Operated Electric Tools - Safety - Part 1: General Requirement
UL 60947-1	Low-voltage switchgear and controlgear - part 1: general rules
UL 60947-4-1	Low-voltage switchgear and controlgear - part 4-1: contactors and motor-starters - electromechanical contactors and motor-starters

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 25 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

UL 60947-5-1	Low-voltage switchgear and controlgear - part 5-1: control circuit devices and switching elements – electromechanical control circuit devices
UL 60947-5-2	Low-voltage switchgear and controlgear - part 5-2: control circuit devices and switching elements – proximity switches
UL 60950	Information technology equipment - safety - part 1: general requirements
UL 60950-22	Information technology equipment - safety - part 22: 2 equipment to be installed outdoors
UL 62368-1	Audio/video, information, and communication technology Equipment – part 1: safety requirements
Heating/Cooling	
CSA C22.2 NO. 24	Temperature-indicating and -regulating equipment
CSA C22.2 NO. 46	Electric air-heaters
CSA C22.2 NO. 47	Air-cooled transformers (dry type)
CSA C22.2 NO. 63	Household refrigerators and freezers
CSA C22.2 NO. 72	Heater elements
CSA C22.2 NO. 104	Humidifiers
CAN/CSA C22.2 NO. 110	Construction and test of electric storage-tank water heaters
CSA C22.2 NO. 117	Room air conditioners
CSA C22.2 NO. 120	Refrigeration equipment
CSA C22.2 NO. 140.2	Hermetic refrigerant motor-compressors
CSA C22.2 NO. 140.3	Refrigerant-containing components for use in electrical equipment
CSA C22.2 NO. 155	Electric duct heaters
CSA C22.2 NO. 236	Heating and cooling equipment
UL 174	Standard for household electric storage tank water heaters
UL 207	Standard for refrigerant-containing components and accessories, nonelectrical
UL 250	Household refrigerators and freezers
UL 399	Standard for drinking-water coolers
UL 412	Standard for refrigeration unit coolers
UL 416	Standard for refrigerated medical equipment

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 26 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

UL 427	Standard for refrigerating units
UL 471	Standard for commercial refrigerators and freezers
UL 484	Standard for room air conditioners
UL 499	Standard for electric heating appliances
UL 507	Standard for electric fans
UL 998	Humidifiers
UL 1030	Standard for sheathed heating elements
UL 1042	Standard for electric baseboard heating equipment
UL 1261	Standard for electric water heaters for pools and tubs
UL 1278	Standard for movable and wall- or ceiling-hung electric room heaters
UL 1453	Standard for electric booster and commercial storage tank water heaters
UL 1812	Standard for ducted heat recovery ventilators
UL 1815	Standard for nonducted heat recovery ventilators
UL 1995	Heating and cooling equipment
UL 1996	Standard for electric duct heaters
UL 2021	Standard for fixed and location-dedicated electric room heaters Exclusion: Cl. 41.9 Motor Overload
Physical	
ANSI/ISEA Z89.1	Industrial head protection
ASTM F1045	Standard Performance Specification for Ice Hockey Helmets
ASTM F1587	<u>Standard Specification for Head and Face Protective Equipment for Ice Hockey Goaltenders</u>
ASTM F2412	Standard test methods for foot protection
ASTM F2413	Standard specification for performance requirements for protective (safety) toe cap footwear
ASTM F513	<u>Standard Specification for Eye and Face Protective Equipment for Hockey Players</u>
CSA C860	Performance of internally lighted exit signs
CSA Z10535	Hoists for the transfer of disabled persons — requirements and test methods
CSA Z195	Protective footwear

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 27 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

CSA Z262.1	Ice hockey helmets
CSA Z262.2	Face protectors for use in ice hockey
CSA Z262.5	Face protectors for use in ringette
CSA Z262.8	Face protectors for use in lacrosse
CSA Z334	Over-the-shoe toe protectors
CSA Z94.1	Industrial protective headwear - performance, selection, care, and use
ISO 10256-1	Protective Equipment for use in ice hockey - Part 1: General Requirements - Second Edition
ISO 10256-2	Protective Equipment for use in ice hockey - Part 2: Head protectors for skaters
ISO 10256-3	Protective Equipment for use in ice hockey - Part 3: Face and Eye protectors (Excluding Clause 5.9)
ISO 10256-4	Protective Equipment for use in ice hockey - Part 4: Head and Face protectors
UL 94	Standard for tests for flammability of plastic materials for parts in devices and appliances

TL-269

CSA Group TESTING & CERTIFICATION INC. (POINTE CLAIRE)

Effective Date February 25, 2025

Page 28 of 28

IAS/ TL- FDA ASCA /100-1



INTERNATIONAL
ACCREDITATION
SERVICE®