

CERTIFICATE OF ACCREDITATION

This is to attest that

INTERTEK TESTING SERVICES NA, LTD.

1500 BRIGANTINE DRIVE COQUITLAM, BRITISH COLUMBIA V3K 7C1, CANADA

Testing Laboratory TL-274

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories*, and has demonstrated compliance with ISO/IEC Standard 17025:2017, *General requirements for the competence of testing and calibration laboratories*. This organization is accredited to provide the services specified in the scope of accreditation.

Effective Date June 6, 2024



President

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

INTERTEK TESTING SERVICES NA, LTD.

www.intertek.com

Contact Name Baldeep Sandhu

Contact Phone +1-604-679-1736

Accredited to ISO/IEC 17025:2017

Effective Date June 6, 2024

| СМТ | |
|-----------------------|---|
| ASTM C307 | Standard test method for tensile strength of chemical-resistant mortar, grouts, and monolithic surfacings |
| ICC ES AC51 | Precast stone veneer (test methods referenced in sections 3.0 and 4.0, excluding section 3.1.6) |
| ICC ES AC90 | Fiber cement siding used as exterior wall siding (test methods referenced in sections 3.0 and 4.0) |
| Fire | |
| ANSI/UL 1715 | Standard for fire test of interior finish material |
| ANSI/UL 1887 | Standard for fire test of plastic sprinkler pipe for visible flame and smoke characteristics |
| ASTM D635 | Standard test method for rate of burning and/or extent and time of burning of plastics in a horizontal position |
| ASTM E84 | Standard test method for surface burning characteristics of building materials |
| ASTM E108 | Standard test methods for fire tests of roof coverings |
| ASTM E119 | Standard test methods for fire tests of building construction and materials |
| ASTM E136 | Standard test method for behavior of materials in a vertical tube furnace at 750°C |
| ASTM E152 | Methods of fire tests of door assemblies |
| ASTM E162 | Standard test method for surface flammability of materials using a radiant heat energy source |
| ASTM E163 | Methods for fire tests of window assemblies |
| ASTM E814 | Standard test method for fire tests of penetration firestop systems |
| ASTM E2768 | Standard Test Method for Extended Duration Surface Burning Characteristics of Building Materials (30 min Tunnel Test) |
| CAN/CGSB-4.2 No. 27.7 | Textile Test Methods Combustion Resistance of Mattresses — Cigarette Test |
| CAN/CGSB-12.1 | Safety Glazing |
| | |

International Accreditation Service, Inc.

| CAN/CGSB-37.54 | Polyvinyl Chloride Roofing and Waterproofing Membrane |
|---------------------------------|---|
| CAN/ULC S107 | Standard methods of fire tests of roof coverings |
| CAN/ULC-S114 | Standard Method of Test for Determination of Non-Combustibility In Building Materials |
| CAN/ULC-S124 | Standard Method of Test for The Evaluation of Thermal Barriers for Foamed Plastic |
| CAN/ULC-S127 | Standard Corner Wall Method of Test for Flammability Characteristics of Non-Melting Building Materials |
| CAN/ULC-S138 | Standard Method of Test for Fire Growth of Insulated Building Panels in A Full-Scale Room Configuration |
| NFPA 251 | Standard methods of tests of fire resistance of building construction and materials |
| NFPA 252 | Standard methods of fire tests of door assemblies |
| NFPA 256 | Standard methods of fire tests of roof coverings |
| NFPA 257 | Standard on fire test for window and glass block assemblies |
| NFPA 265 | Standard methods of fire tests for evaluating room fire growth contribution of textile or expanded vinyl wall coverings on full height panels and walls |
| NFPA 275 | Standard method of fire tests for the evaluation of thermal barriers |
| NFPA 286 | Standard methods of fire tests for evaluating contribution of wall and ceiling interior finish to room fire growth |
| SFM STANDARD 12-7A-1, -2, -3 | Materials and Construction Methods for Exterior Wildfire Exposure |
| UL 9 | Standard for fire tests of window assemblies |
| UL 10A | Standard for tin-clad fire doors |
| UL 10B | Standard for fire tests of door assemblies |
| UL 10C | Standard for positive pressure fire tests of door assemblies |
| UL 263 | Standard for fire tests of building construction and materials |
| UL 723 | Test for Surface Burning Characteristics of Building Materials |
| UL 790 | Standard for standard test methods for fire tests of roof coverings |
| UL 1275 | Standard for flammable liquid storage cabinets |
| UL 2043 | Standard for Fire Test for Heat and Visible Smoke Release for Discrete Products and Their Accessories Installed in Air-Handling Spaces |
| UL 2079 | Standard for tests for fire resistance of building joint systems |
| \- | |

International Accreditation Service, Inc.

| Heating/Cooling | |
|----------------------|---|
| ANSI Z21.50/CSA 2.22 | Vented decorative gas appliances |
| ANSI Z21.60/CSA 2.26 | Decorative gas appliances for installation in solid-fuel burning fireplaces |
| ANSI Z21.84 | Standard for manually lighted, natural gas, decorative gas appliances for installation in solid-fuel burning fireplaces |
| ANSI Z21.86/CSA 2.32 | Vented gas-fired space heating appliances |
| ANSI Z21.88/CSA 2.33 | Vented gas fireplace heaters |
| ASTM E1509 | Standard specification for room heaters, pellet fuel-burning type |
| Mechanical | |
| ANSI/ASME A112.19.2 | Ceramic plumbing fixtures |
| ANSI/ASME A112.19.3 | Stainless steel plumbing fixtures (designed for residential use) |
| ANSI/UL 48 | Standard for electric signs |
| ANSI/UL 50 | Enclosures for electrical equipment, non-environmental considerations |
| ANSI/UL 1563 | Standard for electric spas, equipment assemblies, and associated equipment |
| ANSI/UL 1778 | Uninterruptible power systems |
| ANSI/UL 224 | Extruded insulating tubing |
| ANSI/UL 514A | Metallic outlet boxes |
| ANSI/UL 514B | Conduit, tubing, and cable fittings |
| ANSI/UL 514C | Standard for nonmetallic outlet boxes, flush-device boxes, and covers |
| ANSI/UL 651 | Standard for schedule 40, 80, type EB and A rigid PVC conduit and fittings |
| ANSI/UL 651A | Schedule 40 and 80 high density polyethylene (HDPE) conduit |
| ANSI/UL 884 | Standard for underfloor raceways and fittings |
| ASTM B306 | Standard specification for copper drainage tube (DWV) |
| ASTM B819 | Standard specification for seamless copper tube for medical gas systems |
| ASTM C578 | Standard specification for rigid, cellular polystyrene thermal insulation (except section 11.10) |
| ASTM D828 | Standard test method for tensile properties of paper and paperboard using constant-rate-of-elongation apparatus (except paper based material) |
| ASTM D905 | Standard test method for strength properties of adhesive bonds in shear by compression loading |

International Accreditation Service, Inc.

| ASTM D4761 | Standard test methods for mechanical properties of lumber and wood-base structural material |
|------------------|--|
| ASTM D6108 | Standard test method for compressive properties of plastic lumber and shapes |
| ASTM D6112 | Standard test methods for compressive and flexural creep and creep-rupture of plastic lumber and shapes |
| UL 773 | Standard for plug-in locking type photocontrols for use with area lighting |
| UL 924 | Standard for emergency lighting and power equipment |
| Physical | |
| AAMA 501.1 | Standard test method for water penetration of windows, curtain walls and doors using dynamic pressure |
| AAMA 501.5 | Test method for thermal cycling of exterior walls |
| AAMA 508 | Voluntary test method and specification for pressure equalized rain screen wall cladding systems |
| AAMA 509 | Voluntary test and classification method for drained and back ventilated rain screen wall cladding systems |
| AATCC 127 | Water resistance: hydrostatic pressure test |
| ANSI A151.1 | Test procedure and acceptance criteria for physical endurance |
| ASTM B117 | Standard practice for operating salt spray (fog) apparatus |
| ASTM C97 | Standard Test Methods for Absorption and Bulk Specific Gravity of Dimension Stone |
| ASTM C99 | Standard Test Method for Modulus of Rupture of Dimension Stone |
| ASTM C170 | Standard Test Method for Compressive Strength of Dimension Stone |
| ASTM C203 | Standard Test Methods for Breaking Load and Flexural Properties of Block- Type Thermal Insulation |
| ASTM C273 | Standard Test Method for Shear Properties of Sandwich Core Materials |
| ASTM C297/ C297M | Standard test method for flatwise tensile strength of sandwich constructions |
| ASTM C473 | Standard Test Methods for Physical Testing of Gypsum Panel Products (exclude Cl 21) |
| ASTM C1185 | Standard Test Methods for Sampling and Testing Non-Asbestos Fiber-Cement Flat Sheet, Roofing and Siding Shingles, and Clapboards |
| ASTM C1186 | Standard Specification for Flat Fiber-Cement Sheets |
| ASTM D146/ D146M | Standard Test Methods for Sampling and Testing Bitumen-Saturated Felts and Woven Fabrics for Roofing and Waterproofing |
| | |

International Accreditation Service, Inc.

| ASTM D228 / D228M | Standard Test Methods for Sampling, Testing, and Analysis of Asphalt Roll Roofing, Cap Sheets, and Shingles Used in Roofing and Waterproofing |
|-------------------|--|
| ASTM D570 | Standard Test Method for Water Absorption of Plastics |
| ASTM D732 | Standard Test Method for Shear Strength of Plastics by Punch Tool |
| ASTM D751 | Standard test methods for coated fabrics |
| ASTM D779 | Standard test method for determining the water vapor resistance of sheet materials in contact with liquid water by the dry indicator method |
| ASTM D790 | Standard Test Methods for Flexural Properties of Unreinforced and Reinforced Plastics and Electrical Insulating Materials |
| ASTM D792 | Standard Test Methods for Density and Specific Gravity (Relative Density) of Plastics by Displacement |
| ASTM D882 | Standard Test Method for Tensile Properties of Thin Plastic Sheeting |
| ASTM D1037 | Standard test methods for evaluating properties of wood-base fiber and particle panel materials |
| ASTM D1204 | Standard Test Method for Linear Dimensional Changes of Nonrigid Thermoplastic Sheeting or Film at Elevated Temperature |
| ASTM D1621 | Standard Test Method for Compressive Properties of Rigid Cellular Plastics |
| ASTM D1623 | Standard Test Method for Tensile and Tensile Adhesion Properties of Rigid Cellular Plastics |
| ASTM D1790 | Standard Test Method for Brittleness Temperature of Plastic Sheeting by Impact |
| ASTM D1929 | Standard Test Method for Determining Ignition Temperature of Plastics |
| ASTM D1970/D1970M | Standard specification for self-adhering polymer modified bituminous sheet materials used as steep roofing underlayment for ice dam protection |
| ASTM D2126 | Standard Test Method for Response of Rigid Cellular Plastics to Thermal and Humid Aging |
| ASTM D2395 | Standard test methods for density and specific gravity (relative density) of wood and wood-based materials |
| ASTM D2412 | Standard Test Method for Determination of External Loading Characteristics of Plastic Pipe by Parallel-Plate Loading |
| ASTM D2444 | Standard Practice for Determination of the Impact Resistance of Thermoplastic Pipe and Fittings by Means of a Tup (Falling Weight) |
| ASTM D2842 | Standard Test Method for Water Absorption of Rigid Cellular Plastics |

International Accreditation Service, Inc.

| ASTM D2898 | Standard practice for accelerated weathering of fire-retardant-treated wood for fire testing |
|---------------------|---|
| ASTM D3161/D3161M | Standard test method for wind-resistance of steep slope roofing products (fan-induced method) |
| ASTM D3909 | Standard Specification for Asphalt Roll Roofing (Glass Felt) Surfaced With Mineral Granules |
| ASTM D4226 | Standard Test Methods for Impact Resistance of Rigid Poly (Vinyl Chloride) (PVC) Building Products |
| ASTM D4442 | Standard test methods for direct moisture content measurement of wood and wood-based materials |
| ASTM D4533 | Standard Test Method for Trapezoid Tearing Strength of Geotextiles |
| ASTM D4601 | Standard Specification for Asphalt-Coated Glass Fiber Base Sheet Used in Roofing |
| ASTM D4798 / D4798M | Standard Practice for Accelerated Weathering Test Conditions and Procedures for Bituminous Materials (Xenon-Arc Method) |
| ASTM D4869 / D4869M | Standard Specification for Asphalt-Saturated Organic Felt Underlayment Used in Steep Slope Roofing |
| ASTM D5035 | Standard Test Method for Breaking Force and Elongation of Textile Fabrics (Strip Method) |
| ASTM D6111 | Standard test method for bulk density and specific gravity of plastic lumber and shapes by displacement |
| ASTM D8257/D8257M | Standard specification for mechanically attached Polymeric roof underlayment Used in steep slope roofing |
| ASTM E283 | Standard test method for determining rate of air leakage through exterior windows, curtain walls, and doors under specified pressure differences across the specimen |
| ASTM E331/E331M | Standard test method for water penetration of exterior windows, skylights, doors, and curtain walls by uniform static air pressure difference |
| ASTM E547 | Standard test method for water penetration of exterior windows, skylights, doors, and curtain walls by cyclic static air pressure difference |
| ASTM E661 | Standard Test Method for Performance of Wood and Wood-Based Floor and Roof Sheathing Under Concentrated Static and Impact Loads |
| ASTM E1105 | Standard test method for field determination of water penetration of installed exterior windows, skylights, doors, and curtain walls, by uniform or cyclic static air pressure difference |
| ASTM E1252 | Standard practice for general techniques for obtaining infrared spectra for qualitative analysis |

International Accreditation Service, Inc.

| ASTM E2068 | Standard Test Method for Determination of Operating Force of Sliding Windows and Doors |
|-------------|---|
| ASTM E2556 | Standard Specification for Vapor Permeable Flexible Sheet Water-Resistive Barriers Intended for Mechanical Attachment |
| ASTM E2634 | Standard Specification for Flat Wall Insulating Concrete Form (ICF) Systems |
| ASTM F588 | Standard test methods for measuring the forced entry resistance of window assemblies, excluding glazing impact |
| ASTM F842 | Standard test methods for measuring the forced entry resistance of sliding door assemblies, excluding glazing impact |
| ASTM G151 | Standard Practice for Exposing Nonmetallic Materials in Accelerated Test Devices that Use Laboratory Light Sources |
| ASTM G153 | Standard Practice for Operating Enclosed Carbon Arc Light Apparatus for Exposure of Nonmetallic Materials |
| ASTM G154 | Standard Practice for Operating Fluorescent Ultraviolet (UV) Lamp Apparatus for Exposure of Nonmetallic Materials |
| ASTM G155 | Standard Practice for Operating Xenon Arc Light Apparatus for Exposure of Non-Metallic Materials |
| ICC ES AC02 | Reflective insulation (test methods referenced in section 3.0) |
| ICC ES AC04 | Sandwich panels (test methods referenced in section 4.0) |
| ICC ES AC05 | Sandwich panel adhesives (test methods referenced in sections 5.0, 6.0, 7.0 and 8.0) |
| ICC ES AC11 | Cementitious exterior wall coatings (test methods referenced in section 4.0) |
| ICC ES AC12 | Foam plastic insulation (test methods referenced in section 4.0) |
| ICC ES AC24 | Exterior insulation and finish systems (test methods referenced in section 6.0) |
| ICC ES AC25 | Metal composite material (MCM) (test methods referenced in sections 3.0 and 4.0) |
| ICC ES AC29 | Cold, liquid-applied, below-grade, exterior dampproofing and waterproofing materials (test methods referenced in section 4.0) |
| ICC ES AC38 | Water-resistive barriers (test methods referenced in sections 3.3.1, 3.3.2, 3.3.3, 3.4 and 4.0) (exclude Cl 4.3) |
| ICC ES AC39 | Walking decks (test methods referenced in sections 3.3.1, 3.3.2, 3.3.3, 3.3.3, 3.4 and 4.0) |
| ICC ES AC48 | Self-adhered roof underlayments for use as ice barriers (test methods referenced in section 4.0) |



International Accreditation Service, Inc.

| ICC ES AC59 | Direct-applied exterior finish systems (DEFS) (test methods referenced in section 5.0) |
|--------------|---|
| ICC ES AC75 | Membrane roof-covering systems (test methods referenced in section 4.0) |
| ICC ES AC114 | Rigid polyethylene, below-grade, damp proofing and wall waterproofing material (test methods referenced in section 4.0) |
| ICC ES AC115 | Waterproof membranes for flooring and shower lining (test methods referenced in section 3.0) |
| ICC ES AC148 | Flexible flashing materials (test methods referenced in sections 3.0 and 4.0, except section 4.2) |
| ICC ES AC166 | Metal roof coverings (test methods referenced in section 4.0) |
| ICC ES AC174 | Deck board span ratings and guardrail systems (guards and handrails) (test methods referenced in section 4.0, except section 3.9) |
| ICC ES AC188 | Roof underlayments (test methods referenced in section 4.0, table 1) |
| ICC ES AC207 | Polypropylene roof underlayments (test methods referenced in section 4.0) |
| ICC ES AC212 | Water-resistive coatings used as water-resistive barriers over exterior sheathing (test methods referenced in section 4.0) |
| ICC ES AC219 | Exterior insulation and finish systems (test methods referenced in sections 3.0 and 4.0) |
| ICC ES AC235 | EIFS clad drainage wall assemblies (test methods referenced in sections 3.0 and 4.0) |
| ICC ES AC294 | Shutters for protection against wind-borne debris (test methods referenced in sections 3.0 and 4.0) |
| ICC ES AC353 | Stay-in-place, Foam Plastic Insulating Concrete Form (ICF) Systems for Solid Concrete Walls - for use with 2015 and 2012 I-Codes |
| ICC ES AC365 | Building-integrated photovoltaic (BIPV) roof covering systems (test methods referenced in section 4.2) |
| ICC ES AC377 | Spray-applied foam plastic insulation |
| ICC ES AC439 | Glass Railing and Balustrade System |
| UL 997 | Standard for safety wind resistance of prepared roof covering materials |
| UL 1784 | Standard for air leakage tests of door assemblies and other opening protectives |
| UL 2218 | Standard for impact resistance of prepared roof covering materials |
| Structural | |
| AAMA 501.4 | Recommended static test method for evaluating curtain wall and storefront systems subjected to seismic and wind induced interstory drifts |
| | |

International Accreditation Service, Inc.

| AISI S904 | Standard test methods for determining the tensile and shear strengths of screws |
|------------------|---|
| AISI TS-5-02 | Test methods for mechanically fastened cold-formed steel connections |
| ANSI Z97.1 | Standard for safety glazing materials used in buildings -safety performance specifications and methods of test [Exclude 4.7 (Rockwell Hardness) and 5.4.2] |
| ASTM D143 | Standard test methods for small clear specimens of timber |
| ASTM D198 | Standard test methods of static tests of lumber in structural sizes |
| ASTM D226/D226M | Standard specification for asphalt-saturated organic felt used in roofing and waterproofing |
| ASTM D906 | Standard test method for strength properties of adhesives in plywood type construction in shear by tension loading |
| ASTM D1761 | Standard test methods for mechanical fasteners in wood |
| ASTM D5055 | Standard specification for establishing and monitoring structural capacities of prefabricated wood i-joists |
| ASTM D5456 | Standard specification for evaluation of structural composite lumber products |
| ASTM D6109 | Standard test methods for flexural properties of unreinforced and reinforced plastic lumber and related products (exclude Method B) |
| ASTM D6117 | Standard test methods for mechanical fasteners in plastic lumber and shapes |
| ASTM E8/E8M | Standard test methods for tension testing of metallic materials |
| ASTM E72 | Standard test methods of conducting strength tests of panels for building construction |
| ASTM E96/E96M | Standard test methods for water vapor transmission of materials |
| ASTM E330/E330M | Standard test method for structural performance of exterior windows, doors, skylights and curtain walls by uniform static air pressure difference |
| ASTM E1886 | Standard test method for performance of exterior windows, curtain walls, doors, and impact protective systems impacted by missile(s) and exposed to cyclic pressure differentials |
| ASTM E1996 | Standard specification for performance of exterior windows, curtain walls, doors, and impact protective systems impacted by windborne debris in hurricanes |
| ASTM E2568 | Standard specification for PB exterior insulation and finish system |
| CPSC 16 CFR 1201 | Commercial practices - safety standard for architectural glazing materials |
| ICC ES AC07 | Special roofing systems (test methods referenced in section 4.0) |
| ICC ES AC13 | Joist hangers and similar devices (test methods referenced in section 3.0) |
| | |



International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

| ICC ES AC14 | Prefabricated wood I-joists (test methods referenced in section 4.0 and appendix A) |
|--------------|--|
| ICC ES AC16 | Plastic glazed skylights (test methods referenced in sections A3.0 and A4.0) |
| ICC ES AC47 | Structural wood-based products (test methods referenced in section 3.0) |
| ICC ES AC86 | Cold-formed steel framing members-interior nonload-bearing wall assemblies (test methods referenced in sections 3.0 and 4.0) |
| ICC ES AC109 | Thermoplastic composite lumber products (test methods referenced in section 4.0) |
| ICC ES AC116 | Nails (test methods referenced in section 3.0) |
| ICC ES AC124 | Rim board products (test methods referenced in sections 3.0 and 4.0) |
| ICC ES AC130 | Prefabricated wood shear panels (test methods referenced in section 5.0) |
| ICC ES AC151 | Fixed-height, low-profile, raised floor systems (test methods referenced in section 3.0) |
| ICC ES AC273 | Handrails and guards (test methods referenced in sections 3.0 and 4.0) |
| ICC ES AC300 | Access floors (test methods referenced in sections 3.0 and 4.0) |
| ICC ES AC359 | Exterior wall coverings of steel-backed veneer panels attached to walls utilizing steel framing and brackets (test methods referenced in sections 3.0 and 4.0, excluding sections 3.2.1.2.4.1 and 3.2.1.3.1 ASTM G21 and G22 only) |
| UL 580 | Standard for tests for uplift resistance of roof assemblies |
| UL 1897 | Standard for uplift tests for roof covering systems |

AAMA: American Architectural Manufacturers Association

AATCC: American Association of Textile Chemists and Colorists

AISI: American Iron and Steel Institute

CPSC: Consumer Product Safety Commission NFPA: National Fire Protection Association

TAS: Testing Application Standards (Miami-Dade County Protocol)

UL: Underwriters Laboratories

ULC: Underwriters Laboratories Canada

