



INTERNATIONAL  
ACCREDITATION  
SERVICE®

# CERTIFICATE OF ACCREDITATION

*This is to attest that*

## **SERVICES POLYTESTS INC.**

695-B GAUDETTE  
ST-JEAN-SUR-RICHELIEU, QUÉBEC J3B 7S7, CANADA

**Testing Laboratory TL-642**

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories*, and has demonstrated compliance with ISO/IEC Standard 17025:2017, *General requirements for the competence of testing and calibration laboratories*. This organization is accredited to provide the services specified in the scope of accreditation.

Effective Date January 8, 2024



A handwritten signature in black ink, reading "Raj Nathan".

**President**

Visit [www.iasonline.org](http://www.iasonline.org) for current accreditation information.

# SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | [www.iasonline.org](http://www.iasonline.org)

## SERVICES POLYTESTS INC.

[www.polytests.com](http://www.polytests.com)

**Contact Name** Gaétan Piédalue, P.E.

**Contact Phone** +1-450-741-3636

*Accredited to ISO/IEC 17025:2017*

*Effective Date January 8, 2024*

Heating/Cooling	
ANSI/UL 391	Solid Fuel and Combination Fuel Central and Supplementary Furnaces
ANSI UL 737	Standard for Fireplace Stove
ANSI/UL 1482	Standard for Solid Fuel Type Room Heaters
ANSI/UL 1618	Standard for Wall protectors, floor protectors and hearth extensions
ANSI/UL 2523	Solid Fuel Fired Hydronic Heating Appliances, Water Heaters and Boilers
ASTM E1509	Standard Specification for Room Heaters, Pellet Fuel Burning Type
ASTM E2515	Determination of particulate matter collected by a dilution tunnel
ASTM E2558	Determination of particulate matter from fires in Wood-Fired Fireplaces
ASTM E2618	Measurement of Particulate Emissions and Heating Efficiency of Solid-Fuel Fired Hydronic Heating Appliances
ASTM E2779	Standard test Method for Determining particulate matter emissions from Pellet Heaters
ASTM E2780	Standard Test Method for Determining particulate matter emissions from Wood Heater
ASTM E2817	Standard Test Method for fueling masonry heaters
ASTM E3053	Standard Test Method for Determining Particulate Matter Emissions from Wood Heaters Using Cordwood Test Fuel
CAN/CSA B366.1	Solid Fuel Fired Heating Appliances
CAN/CSA B415	Performance Testing of Solid Fuel Burning Heating Appliances
CAN/ULC S610	Standard for Factory Built Fireplaces / ANSI UL 127 Factory Built Fireplaces
CAN/ULC S627	Standard for Space Heaters for use with Solid Fuels
CAN/ULC S628	Standard for Fireplace Inserts
CAN/ULC S632	Standard for Heat Shields

# SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | [www.iasonline.org](http://www.iasonline.org)

CAN/ULC S635	Standard for Lining Systems for Existing Masonry or Factory-Built Chimneys and Vents
CAN/ULC S640	Standard for Lining Systems for New Masonry Chimneys
CAN/ULC S641	Standard for Factory-Built Chimney connectors and wall pass-through assemblies
EPA 40 CFR Part 60, Subpart AAA, Method 28	Certification and Auditing of Wood Heaters
EPA 40 CFR Part 60, Subpart AAA, Method 28R	Certification and Auditing of Wood Heaters
EPA 40 CFR part 60 Subpart QQQ method 28WHH	Measurement of Particulate Emissions and Heating Efficiency of Wood-Fired Hydronic Heating appliances and Method
EPA 40 CFR part 60 Subpart QQQ method 28WHH-PTS	Measurement of Particulate Matter (PM) and Carbon Monoxide (CO) Emissions and Heating Efficiency of Wood-Fired Hydronic Heating Appliances with Partial Thermal Storage
UL 103	Factory-Built Chimneys for Residential type and Building Heating Appliances
UL 1777	Standards for Chimney Liners
ULC S604	Standard for Factory-Built type A Chimneys
ULC S629	Standard for 650°C Factory-Built Chimneys
ULC/ORD-C1482	Space Heaters for use with Particulate Solid Fuels
ULC/ORD C2728	Standard for Pellet Fuel Burning Cooking Appliances
<b>Fire tests</b>	
CAN/ULC 109	Standard Method for Flame Tests of Flame-Resistant Fabrics and Films
NFPA 701	Standard Methods of Fire Tests for Flame Propagation of Textiles and Films Exception: cl. 16 (dry cleaning only)