



International Accreditation Service, Inc.
3060 Saturn Street, Suite 100
Brea, CA 92821 USA
t: 562.364.8201
t: 866.427.4422
f: 562.699.8031
www.iasonline.org

July 27, 2018

TO: IAS-ACCREDITED INSPECTION PROGRAMS FOR MANUFACTURERS OF METAL BUILDING SYSTEMS, INSPECTION AGENCIES AND OTHER INTERESTED PARTIES

SUBJECT: Proposed Revisions to the Accreditation Criteria for Inspection Programs for Manufacturers of Metal Building Systems, Subject AC472-0918-0918-R1 (DM/SM)]

Hearing Information:

IAS Accreditation Committee
Thursday, September 27, 2018
8:00 a.m.

Fullerton Marriott at California State University

2701 Nutwood Avenue
Fullerton, CA 92831
(714) 738-7800

Dear Madam or Sir:

The proposed IAS Accreditation Criteria for Inspection Programs for Manufacturers of Metal Building Systems, AC472, has been placed on the agenda for committee consideration at the above-noted meeting. The changes are being requested in order to accommodate a recent request for changes and other changes to clarify specific areas of the criteria.

The changes proposed are summarized below:

1. A universal change throughout the criteria to change “quality system” to “management system.”
2. In Section 1.2 Overview, the following changes are being proposed:
 - a. Move the requirements of the inspection agency to the Rules of Procedure and Annex A of these criteria.
 - b. Add verbiage that matches with the requirements in Section 1704.2.5.1 of the International Building Code (IBC).

3. Add the following documents to Section 1.3 Normative and Reference Documents:
 - a. International Accreditation Service, Inc. (IAS), Accreditation Criteria for Inspection Programs for Manufacturers of Cold-formed Steel Structural and Nonstructural Components Not Requiring Welding (AC473).
 - b. IAS Rules of Procedure for Accreditation of Inspection Programs for Manufacturers of Metal Building Systems.
 - c. International Building Code®, published by the International Code Council.
 - d. American Welding Society: A2.4, Standard Symbols for Welding, Brazing, and Nondestructive Examination.
 - e. American Welding Society: A3.0, Standard Welding Terms and Definitions; Including Terms for Adhesive Bonding, Brazing, Soldering, Thermal Cutting, and Thermal Spraying.
 - f. American Welding Society: QC1, Standard for AWS Certification of Welding Inspectors.
 - g. Canadian Standards Association: W178.2, Certification of welding inspectors.
 - h. Research Council on Structural Connections: Specification for Structural Joints Using ASTM A325 or A490 Bolts.
 - i. The American Society for Nondestructive Testing (ASNT): SNT-TC-1A Personnel Qualification and Certification in Nondestructive Testing.
 - j. American Institute of Steel Construction (AISC), ANSI/AISC 360 Specification for Structural Steel Buildings.
 - k. American Iron and Steel Institute: AISI S100: North American Specification for the Design of Cold-Formed Steel Structural Members.
 - l. MBMA Manuals:
 - i. Metal Building Systems Manual
 - ii. Metal Roofing Systems Design Manual
 - iii. Fire Resistance Design Guide for Metal Building Systems
 - iv. Guide for Inspecting Metal Building Systems
 - v. MBMA Model Written Practice-UT Certification
4. Add the definition for Nondestructive Testing (NDT) to Section 2.10 of the criteria.
5. Remove Section 4.2.1.4. The requirements of this section are being redefined in the Rules of Procedure and Annex A of these criteria.
6. Remove EN-287-1 in Section 4.3.1.3.1. This standard has been replaced by ISO 9606-1.
7. Add Sections 4.3.1.4 and 4.3.1.5 for Part A facilities that want High-strength Bolting and Nondestructive Testing (NDT) Ultrasonic Testing (UT) recognition.
8. Add Section 4.3.2.3 for Part B facilities that want High-strength Bolting recognition.
9. Add “inspectors” in the list of items that need to be traced on the finished product.

10. Add a Note to Section 4.6.1.3 to clarify the need for heat numbers in the traceability of the main member's web and flanges.

11. Add Annex A to define the requirement of the inspection agency.

You are cordially invited to submit written comments, or to attend the committee hearing and present verbal comments. Written comments will be forwarded to the committee, **prior to the hearing**, if received by **September 6, 2018**. Please use the comment form link found on the Accreditation Committee meeting page on the IAS website, www.iasonline.org. Comments may be postal mailed to the address above, or emailed to iasinfo@iasonline.org.


Any written material submitted for committee consideration will be available for public distribution as set forth in Section 4.0 of the Rules of Procedure for Accreditation Committee Meetings (copy enclosed).

Visual aids (including, but not limited to, charts, slides, videos, or presentation software) for viewing at meetings will be permitted only if the presenter provides to IAS, before the presentation, a copy of the visual aid(s) in a medium that can be retained by IAS with its record of the meeting, and that can also be provided to interested parties.

Your cooperation is requested in forwarding to the **Brea** office, as noted above, all material directed to the committee. Prior to the hearing, parties interested in the deliberations of the committee should refrain from communicating, whether in writing or verbally, with committee members regarding agenda items. The committee reserves the right to refuse communications that do not comply with this request.

If you have any questions, please contact Sandi McCracken, senior program manager, at 562-364-8201, extension 3442, or the undersigned at 562-364-8201. You may also reach us by e-mail at iasinfo@iasonline.org.

Yours very truly,



Raj Nathan
President

RN/nl

Enclosures

cc: Accreditation Committee



RULES OF PROCEDURE FOR ACCREDITATION COMMITTEE MEETINGS

1 1.0 PURPOSE

2 The purpose of the Accreditation Committee and its meetings is to safeguard IAS' impartiality to monitor the work of and
3 to approve accreditation criteria for International Accreditation Service, Inc. (IAS).

4 The committee meetings, which are open public hearings, provide an opportunity for effective involvement by all
5 interested parties.

6 2.0 MEETINGS

7 2.1 The Accreditation Committee shall schedule meetings that are open to the public in discharging its duties under
8 Section 1, subject to Section 5.0 of these rules.

9 2.2 To properly discharge its responsibilities with respect to monitoring of IAS accreditation activities, the committee shall
10 have a standing item on its meeting agenda for a presentation by staff on the status of its accredited programs and information
11 on any pending appeals.

12 2.3 All scheduled meetings shall be publicly announced.

13 2.4 A majority of the voting Accreditation Committee members shall constitute a quorum. A majority vote of members
14 present is required on any action.

15 2.5 If a specific interest group is not represented, votes by the committee on subjects related to that interest group will be
16 held in abeyance. IAS staff shall make pertinent information available to absentee committee members, and ballot the
17 members at a later stage. Records of such ballots shall be made available upon request.

18 2.6 In the absence of the nonvoting Chair-Moderator, Accreditation Committee members present shall elect an alternate
19 Chairman from the committee for that meeting. The alternate Chairman shall be counted as a voting committee member for
20 purposes of maintaining a committee quorum and to cast a tie-breaking vote of the committee.

21 2.7 Minutes of the meetings shall be kept.

22 3.0 MEMBER COMPETENCE CRITERIA

23 Members of the Accreditation Committee shall be familiar with conformity assessment and the implementation of
24 regulatory requirements within their industry sector. They shall possess:

- 25 • A Baccalaureate degree from an accredited institution or a minimum of ten years equivalent experience as determined by
26 IAS;
- 27 • Current employment within the conformity assessment, regulatory field, academia, industry, or IAS accredited CAB; and
- 28 • Demonstrated expertise in one or more accreditation programs offered by IAS.

29 **4.0 MEETING RECORDS**

30 An electronic record of meetings shall be made by IAS; no other audio, video, electronic or stenographic recordings of the
31 meetings will be permitted. Visual aids (including, but not limited to, charts, slides, videos, or presentation software) viewed at
32 meetings shall be permitted only if the presenter provides IAS before presentation with a copy of the visual aid in a medium
33 which can be retained by IAS with its record of the meeting and which can also be provided to interested parties requesting a
34 copy. A copy of the IAS recording of the meeting and such visual aids, if any, will be available to interested parties upon
35 written request made to IAS together with a payment as required by IAS to cover costs of preparation and duplication of the
36 copy. These materials will be available shortly after the conclusion of the meeting but will no longer be available after 60 days
37 have elapsed from the conclusion of the meeting.

38 **5.0 WRITTEN COMMUNICATIONS AND SUBMISSIONS**

39 Parties interested in the deliberations of the committee should refrain from communicating, whether in writing or verbally,
40 with committee members regarding agenda items. All written communications and submissions regarding agenda items
41 should be delivered to IAS. All such written communications and submissions shall be considered nonconfidential and
42 available for discussion in open session of an Accreditation Committee meeting, and shall be delivered *at least twenty days*
43 before the scheduled Accreditation Committee meeting if they are to be forwarded to the Committee. Correspondence
44 received by IAS will not be released to any party, except to the Accreditation Committee, prior to the meeting without
45 permission of the author. The committee reserves the right to refuse recognition of communications which do not comply with
46 the provisions of this section. All such communications and submissions will be available from IAS upon written request and
47 payment of costs associated with duplication. The materials will be available shortly after the conclusion of the meeting but will
48 no longer be available after 60 days have elapsed from the conclusion of the meeting.

49 **6.0 CLOSED SESSIONS**

50 Meetings shall be open except that the chairman may call for a closed session to seek advice of counsel.

51 **7.0 ACCREDITATION CRITERIA**

52 Criteria are established by the committee to provide a basis for International Accreditation Service, Inc., accreditations.
53 Consideration of accreditation criteria must be in conjunction with a current and valid application for an IAS accreditation listing
54 or as otherwise determined by the Accreditation Committee.

55 **7.1 Procedure**

56 **7.1.1 New Criteria**

57 **7.1.1.1** Proposed accreditation criteria may be submitted by interested parties to IAS, and/or shall be developed by the
58 IAS staff and discussed in open session with the Accreditation Committee during a scheduled meeting

59 **7.1.1.2** Proposed accreditation criteria shall be available to interested parties approximately 60 days before discussion
60 at the committee meeting, unless determined by IAS management that extraordinary consideration and electronic balloting are
61 needed.

62 **7.1.1.3** The committee shall be informed of all pertinent written communications received by IAS. Parties interested in
63 proposed new criteria may deliver communications and submissions regarding such proposed criteria to IAS within 40 days of
64 the posting of the public notice on the IAS website. Such communications and submissions will otherwise be subject to the
65 provisions of Section 4.0 of these rules.

66 **7.1.1.4** Attendees at Accreditation Committee meetings shall have the opportunity to speak on accreditation criteria
67 listed on the meeting agenda, to provide information to committee members.

68 **7.1.2 Existing Criteria**

69 **7.1.2.1** Changes to existing accreditation criteria may be submitted by interested parties to IAS, and/or shall be
70 changed by the IAS staff. Existing accreditation criteria may be revised by the committee either (i) at a public meeting pursuant
71 to the procedures set forth herein, or (ii) by electronic ballot, provided public notice is provided as stipulated I Section 7.1.1.2.

72 **7.1.2.2** The committee shall be informed of all pertinent written communications received by IAS. Parties interested in
73 the proposed revisions to accreditation criteria may deliver communications and submissions regarding such proposed
74 revisions to IAS within the following timelines:

75

Type	Dates
Public Meeting	40 Days after posting of proposed criteria
Electronic Balloting Process	30 Days after posting of proposed criteria

76

77 Such communications and submissions will otherwise be subject to the provisions of Section 4.0 of these rules.

78 **7.1.3 ELECTRONIC BALLOTING**

79 **7.1.3.1** IAS management shall provide written rationale and seek permission and documented approval from the IAS
80 Accreditation Committee chair to propose new criteria or to revise existing criteria for extraordinary consideration and
81 electronic balloting by the committee.

82 **7.1.3.2** Proposed accreditation criteria shall be available to interested parties approximately 30 days before
83 consideration by the committee. All pertinent written communications received by IAS relating to the proposed criteria shall be
84 received no later than 30 days after the posting of the criteria. Ballots, along with comments received and staff
85 recommendations, will be submitted to the committee for consideration. The committee shall return their ballots with their
86 recommendations within 10 days from the date ballots are sent. The results of the balloting will be compiled and forwarded to
87 the chair of the committee for validation and decision.

88 **7.1.3.3** The electronically balloted criteria shall be brought back to the next regularly scheduled accreditation
89 committee hearing as per Section 7.1.2 of these rules,

90 **7.1.4 Effective Date of Published Criteria**

91 **7.1.4.1** The effective date of approved accreditation criteria or approved revisions to existing accreditation criteria shall
92 be no earlier than 30 days following the public meeting.

93 **7.1.4.2** Approved criteria using electronic balloting shall be effective the date of posting of the criteria on the IAS
94 website.

95 **7.2 Approval**

96 Approval of accreditation criteria shall be as specified in Section 2.4 of these rules.

97 **8.0 ACCREDITATION COMMITTEE MEMBERS**

98 **8.1** The IAS Accreditation Committee members are appointed or reappointed annually by the IAS Board of Directors in
99 consultation with the IAS President.
100
101 **8.2** Committee members are selected from senior management positions within accredited organizations, users of
102 accreditation, industry groups and governmental or regulatory organizations. The individuals appointed to the committee shall
103 have knowledge of regulatory codes within their industry sector and international conformity assessment process and
104 practices. ■



1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19

**PROPOSED REVISIONS TO THE ACCREDITATION CRITERIA FOR
INSPECTION PROGRAMS FOR MANUFACTURERS OF METAL BUILDING
SYSTEMS**

AC472

Proposed September 2018

PREFACE

The attached accreditation criteria have been proposed to provide all interested parties with an opportunity to comment. These criteria may be further revised as needed. The criteria are developed and adopted following public hearings conducted by the International Accreditation Service, Inc. (IAS), Accreditation Committee and are effective on the first of the month following approval by the Accreditation Committee, but no earlier than 30 days following the approval.

20 **PROPOSED REVISIONS TO THE ACCREDITATION CRITERIA FOR**
21 **INSPECTION PROGRAMS FOR MANUFACTURERS OF METAL BUILDING SYSTEMS**

22
23 **1. INTRODUCTION**

24 1.1. **Scope:** These criteria set forth the requirements for obtaining and maintaining International
25 Accreditation Service, Inc. (IAS), Inspection Programs for Manufacturers of Metal Building
26 Systems accreditation. The criteria supplement the IAS Rules of Procedure for Inspection
27 Programs for Manufacturers of Metal Building Systems.

28
29 1.2. **Overview:** Accredited entities complying with these criteria will have demonstrated that they
30 have the personnel, organization, experience, knowledge, quality procedures and commitment to
31 fabricate in accordance with specified requirements. IAS-accredited inspection programs for
32 manufacturers of metal building systems operate under a documented quality management
33 system developed in concert with an IAS-accredited inspection agency which conducts
34 unannounced inspections to verify continued compliance to comply with these criteria. The
35 management system includes the manufacturer's written fabrication procedures and quality
36 control manuals that provide a basis for control of materials and workmanship, with periodic
37 inspections of fabrication and quality control practices by an IAS-accredited inspection agency.
38 Responsibilities and requirements for inspection agencies are documented in Annex A. Although
39 accredited entities are evaluated on their performance measures to consistently produce
40 products of the required quality mandated by specified requirements, these criteria do not cover
41 the products or the design or performance characteristics of the products.

42
43 1.3. **Normative and Reference Documents:** Publications listed below refer to current editions
44 (unless otherwise stated).

45 1.3.1. American Welding Society: ANSI/AWS_D1.1, AWS-D1.3, Structural Welding Code.

46 1.3.2. ISO 9606-1, Qualification testing of welders – Fusion welding – Part 1: Steels.

47 1.3.3. ISO/IEC 17000, Conformity assessment - Vocabulary and general principles.

48 1.3.4. International Accreditation Service, Inc. (IAS), Accreditation Criteria for Inspection
49 Programs for Manufacturers of Cold-formed Steel Structural and Nonstructural
50 Components Not Requiring Welding accreditation (AC473).

51 1.3.5. IAS Rules of Procedure for Accreditation of Inspection Programs for Manufacturers of
52 Metal Building Systems.

53 1.3.6. International Building Code[®], published by the International Code Council.

54 1.3.7. American Welding Society: A2.4, Standard Symbols for Welding, Brazing, and
55 Nondestructive Examination.

- 56 [1.3.8. American Welding Society: A3.0, Standard Welding Terms and Definitions; Including](#)
57 [Terms for Adhesive Bonding, Brazing, Soldering, Thermal Cutting, and Thermal](#)
58 [Spraying.](#)
- 59 [1.3.9. American Welding Society: QC1, Standard for AWS Certification of Welding Inspectors.](#)
- 60 [1.3.10. Canadian Standards Association: W178.2, Certification of welding inspectors.](#)
- 61 [1.3.11. Research Council on Structural Connections: Specification for Structural Joints Using](#)
62 [ASTM A325 or A490 Bolts.](#)
- 63 [1.3.12. The American Society for Nondestructive Testing \(ASNT\): SNT-TC-1A Personnel](#)
64 [Qualification and Certification in Nondestructive Testing.](#)
- 65 [1.3.13. American Institute of Steel Construction \(AISC\), ANSI/AISC 360 Specification for](#)
66 [Structural Steel Buildings.](#)
- 67 [1.3.14. American Iron and Steel Institute: AISI S100: North American Specification for the](#)
68 [Design of Cold-Formed Steel Structural.](#)
- 69 [1.3.15. MBMA Manuals:](#)
- 70 [1.3.15.1. Metal Building Systems Manual](#)
- 71 [1.3.15.2. Metal Roofing Systems Design Manual](#)
- 72 [1.3.15.3. Fire Resistance Design Guide for Metal Building Systems](#)
- 73 [1.3.15.4. Guide for Inspecting Metal Building Systems](#)
- 74 [1.3.15.5. MBMA Model Written Practice-UT Certification](#)
- 75

76 2. DEFINITIONS

77 For the purposes of these accreditation criteria, the definitions given in ISO/IEC 17000, and the
78 definitions that follow, apply.

- 79 2.1. **Approved Fabricator:** An established and qualified person, firm or corporation approved by the
80 building official pursuant to the approved fabricator designation in Section 1702 of the
81 *International Building Code*[®].
- 82 2.2. **Cold-formed Products:** Products such as cold-formed Z- or C-shaped structural members or
83 roll-formed sheeting or deck designed to resist vertical and/or lateral loads.
- 84 2.3. **Contract Documents:** Documents that describe the metal building system to be supplied in its
85 entirety for a given project. These documents include work orders, drawings, specifications, and
86 buyer sketches.
- 87 2.4. **Corrective Action:** Implemented action necessary to eliminate or reduce the root cause of an
88 identified problem.
- 89 2.5. **General Manager:** The person occupying the highest position of authority within a facility's
90 organization.
- 91 2.6. **Letter of Certification:** A project document that certifies the design of the metal building system
92 as required by AC472 Section 4.6.3.2.3.

93 2.7. **Management System:** A set of interrelated or interacting elements that organizations use to
94 direct, control and coordinate how policies are implemented and objectives are achieved.

95 2.8. **Metal Building Systems Manufacturer:** An entity that may be a company, division, subsidiary
96 or similar organization that designs and manufactures a metal building system which consists of
97 an integrated set of components and assemblies, including but not limited to frames that are
98 primary structural steel members, secondary members that are cold-formed steel and steel
99 joists, and roof and wall cladding components, specifically designed to support and transfer
100 loads and provide a complete or partial building shell.

101 **2.9. Nonconformance:** An action employed that renders a design, member, or component
102 unacceptable for the intended use as specified in contract documents or these criteria.

103 ~~2.9-2.10.~~ **Nondestructive Testing (NDT):** the process of inspecting, testing, or evaluating
104 materials, components or assemblies for discontinuities, or differences in characteristics without
105 destroying the serviceability of the part or system.

106 ~~2.10-2.11.~~ **PQR:** Procedure Qualification Record in accordance with AWS Standards, as applicable.

107 ~~2.11-2.12.~~ **Procedure:** An implemented and written document that describes who does what, when,
108 where, why and how.

109 ~~2.12-2.13.~~ **Product:** Result of activities or processes.

110 ~~2.13-2.14.~~ **Production Engineer:** An engineer who performs final designs on projects so that
111 project documents and shop documents can be made.

112 ~~2.14-2.15.~~ **Project:** A process consisting of a set of coordinated and controlled activities undertaken
113 to achieve customer requirements.

114 ~~2.15-2.16.~~ **Project Documents:** Documents produced for the buyer's use to support the
115 implementation of the project. These documents include permit and erection drawings,
116 installation manuals and letters of certification.

117 ~~2.16-2.17.~~ **Quality Assurance:** Measurable systematic actions to assure confidence that the
118 implementation of planned activities result in meeting objectives, goals and contract
119 documents.

120 ~~2.17-2.18.~~ **Quality Control:** The act of examination, testing or measurement that verifies processes
121 and services, or that documents conform to specified criteria.

122 ~~2.18-2.19.~~ **Quality Manager:** A quality professional, designated by management who has
123 demonstrated competence in establishing, maintaining and implementing a quality
124 management system with consistent results. The quality manager shall have direct access to
125 the highest executive level and shall report on the performance of the quality system to the
126 organization's management for use as a basis for improvement of the quality-management
127 system.

128 ~~2.19-2.20.~~ **Quality Plan:** A written document that describes the procedures and policies
129 implemented to assure product quality meets requirements of specific contract documents. As a

130 minimum, quality plans must meet the requirements of Sections 4.7.1.1 and 4.7.1.2 or 4.7.4.1
131 and 4.7.4.2 of these criteria.

132 | ~~2.20-2.21.~~ **Repair:** Action taken to render a member or component acceptable for the intended use.

133 | ~~2.21-2.22.~~ **Shop Documents:** Documents produced that describe the individual parts and pieces of
134 a metal building system to be fabricated in the fabrication facility. These documents include
135 shop details, bills of material, manifests, bills of lading, etc.

136 | ~~2.22-2.23.~~ **Specification:** A document that states the obligatory requirements to which the product
137 must conform.

138 | ~~2.23-2.24.~~ **Structural Weldments:** Structural framing involving welding, coping, cutting, and drilling
139 of built-up I-shaped sections, rolled shapes, or cold-formed sections.

140 | ~~2.24-2.25.~~ **Subcontractor:** An entity that provides goods or services per stipulated project or shop
141 documents. A subcontractor is hired to perform specific tasks. An example of a subcontractor is
142 a structural steel fabricator.

143 | ~~2.25-2.26.~~ **Vendor:** An entity that provides inventoriable, proprietary buy-out items that are
144 available for sale. These items are typically chosen from a catalogue or list and are finite in
145 terms of available options and quantity. Examples of vendors are bolt manufacturers and steel
146 mills.

147 | ~~2.26-2.27.~~ **WPS:** Welding Procedure Specification in accordance with ANSI/AWS D1.1 or AWS
148 D1.3, as applicable.

149

150 3. ELIGIBILITY

151 The metal building systems manufacturer must have, at a minimum, in-house capabilities for Parts A
152 and C. Part B components can be manufactured in-house or outsourced under the quality assurance
153 requirements under Part B. Entities that outsource any cold-form secondary and sheeting products to
154 facilities that are not IAS-accredited facilities must ensure annually that the manufacturer effectively
155 implements a quality management system that is compliant with Part B of these criteria.

156

157 4. REQUIRED BASIC INFORMATION

158 4.1. Fabricator inspection programs for manufacturers of metal building systems must demonstrate
159 compliance with the following requirements:

160 4.1.1. The requirements of these accreditation criteria;

161 4.1.2. IAS Rules of Procedure for Accreditation of Inspection Programs for Manufacturers of
162 Metal Building Systems.

163

164 4.2. General Requirements

165 4.2.1. **Quality System**

- 166 4.2.1.1. Entities accredited under these criteria shall establish and implement a quality
167 system that is fully documented. This documented quality management system must
168 describe the procedures and quality activities for ensuring that fabricated products
169 meet the specified requirements.
- 170 4.2.1.2. A documented quality management system manual shall be prepared and submitted
171 to IAS. The documentation shall include a cross-reference matrix ~~prepared in concert~~
172 ~~with an IAS-accredited inspection agency~~ ensuring that the general requirements in
173 Section 4.2, personnel requirements in Section 4.3, data in Section 4.4, the
174 statements in Section 4.5, and the written procedures noted in Section 4.6 of these
175 accreditation criteria have been included.
- 176 4.2.1.3. The submitted quality assurance document management system must be signed and
177 dated by the highest level of authority within the organization.
- 178 ~~4.2.1.4. The submitted quality assurance document must be signed and dated by an~~
179 ~~authorized representative of an IAS-accredited inspection agency, attesting that the~~
180 ~~inspection agency has reviewed the documented quality system and that it is~~
181 ~~sufficient to allow scheduling of an onsite joint assessment with IAS.~~
- 182 4.2.2. The submitted quality assurance document~~ation~~ must be reviewed at least annually.
- 183 4.2.3. The program consists of three parts:
- 184 4.2.3.1. **Part A:** Fabrication of structural weldments and cold-formed products requiring
185 welding.
- 186 4.2.3.2. **Part B:** Fabrication of cold-formed products not requiring welding.
- 187 4.2.3.3. **Part C:** Design of metal building systems.

188 4.3. Personnel

189 4.3.1. Part A

- 190 4.3.1.1. **Quality Manager:** Entities accredited under these criteria shall designate a quality
191 manager who has the necessary training and experience to complete the tasks listed
192 in Sections 4.3.1.1.1 through 4.3.1.1.5. The quality manager shall report directly to
193 the highest level of authority within the organization. The quality manager shall have
194 the following responsibilities:
- 195 the following responsibilities:
- 196 4.3.1.1.1. Maintaining the documented quality management system in accordance with
197 these criteria.
- 198 4.3.1.1.2. Monitoring the effective implementation of the documented quality system.
- 199 4.3.1.1.3. Assuring that periodic internal audits are conducted and documented, and
200 that corrective actions are implemented.
- 201 4.3.1.1.4. Assuring that annual management reviews are conducted and documented
202 to assure the adequacy and effectiveness of the quality system. Annual

203 management reviews must produce a summary and a documented plan of
204 action for improvement. Documents to be considered during the annual
205 management review must include, but are not limited to, customer
206 complaints, back charges, internal audit results and corrective actions.

207 4.3.1.1.5. Developing quality plans that meet contract documents, and having
208 knowledge of and access to the appropriate documents to meet this
209 requirement.

210 4.3.1.2. **In-house Quality Control (QC) Inspector:** Entities accredited under these criteria
211 shall designate an in-house quality control inspector who, as a minimum, must meet
212 the following requirements:

213 4.3.1.2.1. Be a Certified Welding Inspector (CWI) in accordance with the provisions of
214 AWS QC1 or the equivalent requirements of the Canadian Standards
215 Association (CSA) Standard W178.2 or for an ICC Structural Welding Special
216 Inspector (S2).

217 4.3.1.2.2. Be familiar with and demonstrate knowledge of codes and specifications, as
218 appropriate, for the scope of work specified in the contract documents.

219 4.3.1.2.3. Be responsible for assuring that only qualified and certified welders are used,
220 as specified by contract documents for the welding process and procedures
221 permitted for use.

222 4.3.1.2.4. Be responsible for assuring continuity of the welders' qualifications as
223 required by American Welding Society AWS D1.1 or D1.3, as appropriate.

224 4.3.1.2.5. Qualified personnel must be responsible for overall workmanship and for
225 ensuring all structural members and weldments are 100 percent visually
226 inspected. Although inspections may be delegated to qualified personnel
227 during the receipt and in-process stages of assembly, it is the responsibility
228 of the in-house quality control inspector to ensure that inspections are
229 performed and documented and that the product meets project requirements.
230 Qualified personnel must meet the requirements of Section 4.3.1.2.1 of these
231 criteria or demonstrate competence to perform inspections by appropriate
232 training and/or experience in metals fabrication, inspection and testing. The
233 basis for designating qualified personnel shall be documented by the in-
234 house quality control inspector as noted in AC472 Section 4.6.1.5.3.

235 4.3.1.2.6. Be responsible for ensuring that incoming raw materials are properly
236 identified and inspected for compliance with quality plans and specifications.

237 4.3.1.2.7. Be responsible for ensuring and documenting that the final assembly can be
238 traced back to the incoming materials, the quality assurance records and the
239 individual welder.

- 240 4.3.1.2.8. Be responsible for reviewing all Welding Procedure Specifications (WPSs)
241 and Procedure Qualification Records (PQRs) before these are used in
242 production welding operations.
- 243 4.3.1.2.9. Be responsible for ensuring that fabrication of weldments and cold-formed
244 products meet the fabrication tolerances outlined in Table 4.1 or Table 4.2.
- 245 4.3.1.3. **Welding Personnel:** Entities accredited under this criteria shall ensure that the
246 following conditions are met:
- 247 4.3.1.3.1. All welding personnel shall be qualified by the test as described in
248 ANSI/AWS D1.1 or D1.3, or other accepted country-specific test standard, as
249 appropriate, by a qualified independent third-party agency. Third-party
250 qualification shall be by certification as an AWS Certified Welding Inspector
251 (CWI) in accordance with the provisions of AWS QC1, *Standard Guide for*
252 *Qualification and Certification of Welding Inspectors*; or current qualification
253 by the Canadian Welding Bureau (CWB) to the requirements of the Canadian
254 Standards Association Standard W178.2, *Certification of Welding Inspectors*;
255 or current qualification by approved third-party agencies, such as those
256 accredited by an accreditation body that is an IAS Mutual Recognition
257 Arrangement (MRA) partner, per ISO 9606-1 ~~or EN-287-1~~; or by the
258 International Code Council as an ICC Structural Welding Special Inspector
259 (S2). The in-house CWI, CWB, or ICC structural welding special inspector
260 (S2) may administer the welding tests; however, the qualification coupon
261 shall be evaluated by the third party CWI, CWB or ICC Structural Welding
262 Special Inspector. If tensile testing is required for qualification of welding
263 personnel, the test, or test sample, must be sent to an IAS-accredited testing
264 laboratory for examination. Such laboratories must be accredited by IAS or
265 by an accreditation body that is a partner with IAS in an MRA.
- 266 4.3.1.3.2. All welding personnel shall have and use an identifying number, letter or
267 symbol for the purpose of traceability.
- 268 4.3.1.4. **Bolting:** Procedures shall be developed as required in the project documents and
269 shall address the following: Fitting, snug-tight, pre-tensioning, and faying surfaces.
270
- 271 If metal building manufacturers provide high-strength bolting that meets ASTM A325
272 or ASTM A490, they will receive recognition on the certificate of accreditation. As a
273 minimum, there must be an ICC certified Structural Steel and Bolting Special
274 Inspector (S1) on staff.
- 275 4.3.1.5. **Nondestructive Testing:** Procedures shall be developed as required in the project
276 documents.

277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313

If metal building manufacturers include nondestructive testing as an in-house practice, they will receive recognition on the certificate of accreditation. As a minimum, there must be in-house staff certified as a Level II to SNT-TC-1A to qualify the UT on the certificate of accreditation.

4.3.2. **Part B**

4.3.2.1. **Quality Manager:** Entities accredited under these criteria shall designate a quality manager who has the necessary training and experience to complete the tasks listed in Sections 4.3.2.1.1 through 4.3.2.1.5. The quality manager shall report directly to the highest level of authority within the organization. The quality manager shall have the following responsibilities:

- 4.3.2.1.1. Maintaining the documented quality-management system in accordance with these criteria.
- 4.3.2.1.2. Monitoring the effective implementation of the documented quality management system.
- 4.3.2.1.3. Assuring that periodic internal audits are conducted and documented, and that corrective actions are implemented.
- 4.3.2.1.4. Assuring that annual management reviews are conducted and documented to assure the adequacy and effectiveness of the quality-management system. Annual management reviews must produce a summary and a documented plan of action for improvement. Documents to be considered during the annual management review must include, but are not limited to, customer complaints, back charges, internal audit results and corrective actions.
- 4.3.2.1.5. Developing quality plans that meet contract documents, and having knowledge of and access to the appropriate documents to meet this requirement.

4.3.2.2. **In-house Quality Control (QC) Inspector:** Entities accredited under this criteria shall designate an in-house quality control inspector who, as a minimum, must meet the following requirements:

- 4.3.2.2.1. Be familiar with and demonstrate knowledge of codes and specifications, as appropriate, for the scope of work specified in the contract documents.
- 4.3.2.2.2. Be responsible for ensuring that incoming raw materials are properly identified and inspected for compliance with quality plans and specifications.
- 4.3.2.2.3. Be responsible for ensuring and documenting that the final fabrication assembly can be traced back to the incoming materials and the quality assurance records.

314 4.3.2.2.4. Be responsible for ensuring that fabrication of cold-formed products meets
315 the fabrication tolerances outlined in Table 4.1.

316 4.3.2.3. Bolting: Procedures shall be developed as required in the project documents and
317 shall address the following: Fitting, snug-tight, pre-tensioning, and faying surfaces.

318
319 If metal building manufacturers provide high-strength bolting that meets ASTM A325
320 or ASTM A490, they will receive recognition on the certificate of accreditation. As a
321 minimum, there must be an ICC certified Structural Steel and Bolting Special
322 Inspector (S1) on staff.

323 4.3.3. **Part C**

324 **Engineer in Responsible Charge:** Entities accredited under these criteria shall
325 designate an Engineer in Responsible Charge who, as a minimum, must meet the
326 following requirements:

327 4.3.3.1. Be a professional engineer registered or licensed in the United States to practice
328 engineering or an engineer duly registered or licensed in the country in which the
329 facility is located, who has experience with the building code and the design of metal
330 building systems.

331 4.3.3.2. Have full authority for the control of engineering performed at the facility as related to
332 technical decision making. This person need not be the highest level of authority
333 within the organization of the facility as long as appropriate technical authority has
334 been granted to him/her.

335 4.3.3.3. Assuring that annual management reviews are conducted to assure the adequacy
336 and effectiveness of the quality system. Annual management reviews must produce a
337 documented summary and a documented plan of action for improvement. Documents
338 to be considered during the annual management review must include, but are not
339 limited to, customer complaints, back charges, internal audit results and corrective
340 actions.

341
342 4.4. **Required Data**

343 4.4.1. **Part A**

344 4.4.1.1. The name of the facility, the physical street address, mailing address (if different),
345 information on the person serving as the IAS contact (including the telephone
346 number and e-mail address), and the telephone number of the facility.

347 4.4.1.2. A floor plan of the fabrication facility. The floor plan need not be to scale.

348 4.4.1.3. A list of major production equipment, including welding, burning, lifting and inspection
349 equipment.

- 350 4.4.1.4. A list of typical items fabricated (e.g., beams, trusses, girders, bracing members,
351 etc.).
- 352 4.4.1.5. A copy of all WPSs for production welding. The WPSs shall be written to include
353 essential and nonessential variables, in accordance with AWS D1.1 or D1.3, as
354 appropriate for the type of fabrication performed at the facility.
- 355 4.4.1.6. A copy of all PQRs for WPSs qualified by testing, when required.
- 356 4.4.1.7. A list of qualified welding personnel, including their approved welding process,
357 limitations on their qualifications and their identification marks.
- 358 4.4.1.8. Evidence that welding personnel are qualified by an independent, third-party CWI,
359 CWB, or ICC Structural Welding Special Inspector in accordance with Section
360 4.3.1.3.1 of these criteria.
- 361 4.4.1.9. The name and certification number of the CWI, CWB, or ICC Structural Welding
362 Special Inspector acting as the in-house quality control inspector.
- 363 4.4.1.10. The name of the deputy in-house QC inspector who assumes the position in the
364 absence of the primary in-house QC person.
- 365 4.4.1.11. An organizational chart including the names of the responsible quality managers.
366 This chart must show the relationships among the CEO, the Engineer In
367 Responsible Charge, general manager, quality manager, in-house quality control
368 inspector, deputy in-house inspector, production manager and welding personnel.
- 369 4.4.1.12. A list of approved vendors, including any testing agencies employed to verify a
370 WPS.
- 371 4.4.1.13. A list of test and measuring equipment.
372 Test and measuring equipment must be calibrated and traceable to a national
373 standard. The equipment list must include sufficient testing instruments to assure
374 quality compliance as appropriate for the items being fabricated.
- 375 **4.4.2. Part B**
- 376 4.4.2.1. The name of the facility, the physical street address, mailing address (if different),
377 information on the person serving as the IAS contact (including the telephone
378 number and e-mail address), and the telephone number of the facility.
- 379 4.4.2.2. A floor plan of the fabrication facility. The floor plan need not be to scale.
- 380 4.4.2.3. A list of major production equipment, including burning, lifting and inspection
381 equipment.
- 382 4.4.2.4. A list of typical items fabricated (e.g., cold formed sections, roof and wall panels,
383 etc.).
- 384 4.4.2.5. The name of the deputy in-house QC inspector who assumes the position in the
385 absence of the primary in-house QC person.

386 4.4.2.6. An organizational chart including the names of the responsible quality managers.
387 This chart must show the relationships among the CEO, general manager, quality
388 manager, in-house quality control inspector, deputy in-house inspector and
389 production manager.

390 4.4.2.7. A list of approved vendors.

391 4.4.2.8. A list of test and measuring equipment.

392 Test and measuring equipment must be calibrated and traceable to a national
393 standard. The equipment list must include sufficient testing instruments to assure
394 quality compliance as appropriate for the items being fabricated.

395 **4.4.3. Part C**

396 4.4.3.1. The name of the facility, the physical street address, mailing address (if different),
397 information on the person serving as the IAS contact (including the telephone
398 number and e-mail address), and the telephone number of the facility.

399 4.4.3.2. An organizational chart showing the relationships among the CEO, general manager,
400 Engineer in Responsible Charge, and production engineers.

401 4.4.3.3. A listing of all engineers performing production engineering, along with their years of
402 experience in designing metal building systems.

403

404 **4.5. Required Statements**

405 **4.5.1. Part A**

406 The following statements shall be provided in the quality system submittal:

407 4.5.1.1. A quality policy statement that includes the following elements:

408 4.5.1.1.1. All activities of the organization shall be directed in such a manner as to
409 ensure that the quality requirements of AC472 will be met.

410 4.5.1.1.2. The elements of the quality assurance program will be disseminated to all
411 personnel assigned activities that affect the quality of the product.

412 4.5.1.2. IAS will be notified, in writing prior to any cancellation of the inspection agreement
413 with the accredited inspection agency.

414 4.5.1.3. Copies of reports of inspections conducted by the inspection agency, if they note
415 major quality control variations, will be forwarded to IAS within 10 days of the major
416 deficiency having been reported.

417 4.5.1.4. Entities accredited under these criteria will notify the inspection agency when the
418 facility is to be closed for extended time periods other than for normally scheduled
419 periods for maintenance or vacations, or for two or more weeks regardless of the
420 circumstances of the closure. IAS and the inspection agency will be notified 10 days
421 prior to resumption of operations.

- 422 4.5.1.5. IAS will be notified in writing by the accredited entity and the inspection agency if
423 unannounced, follow-up inspections have not been conducted by the inspection
424 agency.
- 425 4.5.1.6. IAS and the accredited inspection agency must be notified within 30 days of any
426 changes in management personnel. As a minimum, this would include the president,
427 general manager, purchasing manager, production manager or quality manager.

428 **4.5.2. Part B**

429 The following statements shall be provided in the quality system submittal:

430 4.5.2.1. A quality policy statement that includes the following elements:

431 4.5.2.1.1. All activities of the organization shall be directed in such a manner as to
432 ensure that the quality requirements of AC472 will be met.

433 4.5.2.1.2. The elements of the quality assurance program will be disseminated to all
434 personnel assigned activities that affect the quality of the product.

435 4.5.2.2. IAS will be notified, in writing, prior to any cancellation of the inspection agreement
436 with the accredited inspection agency.

437 4.5.2.3. Copies of reports of inspections conducted by the inspection agency, if they note
438 major quality control variations, will be forwarded to IAS within 10 days of the major
439 deficiency being reported.

440 4.5.2.4. Entities accredited under these criteria will notify the inspection agency when the
441 facility is to be closed for extended time periods other than for normally scheduled
442 periods for maintenance or vacations, or for two or more weeks regardless of the
443 circumstances of the closure. IAS and the inspection agency will be notified 10 days
444 prior to resumption of operations.

445 4.5.2.5. IAS will be notified in writing by the accredited entity and the inspection agency if
446 unannounced, follow-up inspections have not been conducted by the inspection
447 agency.

448 4.5.2.6. IAS and the accredited inspection agency must be notified within 30 days of any
449 changes in management personnel. As a minimum, this would include the president,
450 general manager, purchasing manager, production manager, or quality manager.

451 **4.5.3. Part C**

452 4.5.3.1. A quality policy statement that includes the following elements:

453 4.5.3.1.1. All activities of the organization shall be directed in such a manner as to
454 ensure that the quality requirements of AC472 will be met.

455 4.5.3.1.2. The elements of the quality assurance program will be disseminated to all
456 engineering personnel performing production engineering.

457 4.5.3.2. IAS will be notified, in writing, prior to any cancellation of the inspection agreement
458 with the accredited inspection agency.

- 459 4.5.3.3. Copies of reports of inspections conducted by the inspection agency, if they note
460 major quality control variations, will be forwarded by the accredited entity to IAS
461 within 10 days of the major deficiency being reported.
- 462 4.5.3.4. Entities accredited under these criteria will notify the inspection agency when the
463 facility is to be closed for extended time periods other than for normally scheduled
464 periods for maintenance or vacations, or for two or more weeks regardless of the
465 circumstances of the closure. IAS and the inspection agency will be notified 10 days
466 prior to resumption of operations.
- 467 4.5.3.5. IAS will be notified in writing by the accredited entity and the inspection agency if
468 unannounced, follow-up inspections have not been conducted by the inspection
469 agency.
- 470 4.5.3.6. IAS and the accredited inspection agency must be notified within 30 days of any
471 changes in management personnel. As a minimum, this would include the president,
472 general manager, or Engineer in Responsible Charge.
- 473 4.5.3.7. A Letter of Certification will be issued for all projects per the procedure required in
474 Section 4.6.3.2.3.

475 476 **4.6. Required Written Procedures**

477 Entities accredited under these criteria shall submit written procedures for the following:

478 **4.6.1. Part A**

479 4.6.1.1. **Document Control:** Control of documents and data relating to the quality functions
480 must be provided. This control shall include the following:

481 4.6.1.1.1. A document approval procedure.

482 4.6.1.1.2. A procedure to ensure that only current, approved documents are used.

483 4.6.1.1.3. A procedure to ensure that documents are available at all locations where
484 necessary for the proper functioning of the quality system.

485 **4.6.1.2. Purchasing**

486 4.6.1.2.1. Determining that purchased products will conform to specified requirements.
487 The procedure must include a requirement that the type and grade of
488 material be documented on the purchase order agreement.

489 4.6.1.2.2. Evaluation of subcontractors for their ability to meet subcontract
490 requirements. Evaluations may contain summaries or logs, but must include
491 a means of quantifying and measuring the ability of the subcontractor or
492 supplier to provide quality products or services consistent with the required
493 shop documents. For projects requiring IAS accreditation, fabrication may be
494 subcontracted only to fabrication facilities that are currently IAS-accredited.

495 4.6.1.3. **Product Traceability:** The traceability procedure must describe the method used to
496 ensure items are traceable as specified in the contract documents. Items that
497 typically require traceability are materials and consumables that are incorporated into
498 the final product. The project documents will determine if full materials traceability is
499 required; however, the accredited entity must have a procedure to meet the project
500 needs for the type of fabrication performed. In addition to project requirement needs,
501 the accredited entity, as a minimum, must have in their control traceability of the
502 finished product to incoming materials, certified welders, inspectors, plans and
503 specifications. The procedure must make provision for documentation of this
504 traceability on inspection forms or on a controlled copy of the detail drawing.

505
506 Material traceability, unless otherwise required by contract documents, is limited to
507 main members and does not include items such as stiffeners, clips, and bolted end
508 plates. As a minimum, all steel used and incorporated into the final product must be
509 traceable to the type and grade of material.

510
511 Note: All main member webs and flanges must be traced to a heat number. All
512 secondary members such as stiffeners, clips, and bolted end plates must be
513 traceable to the type and grade of material.

514 4.6.1.4. **Process Control:** There must be a procedure that identifies how process control is
515 communicated to appropriate personnel. Process control includes procedures such
516 as cutting or saw operations, fitting and welding of the material, cambering and
517 coating. Examples of forms used in the process control procedure are cut lists,
518 standard drawings or detail drawings. The procedure must describe the accredited
519 entity's method of communicating and establishing priorities of such operations.

520 4.6.1.5. **Inspection and Testing:** The inspection procedure shall include provisions for
521 receipt, in-process and final inspections as appropriate to provide a level of
522 assurance that products are fabricated in accordance with contract documents by
523 qualified personnel. Final inspections shall include a record of the results and
524 resolution of nonconformances identified by subsequent inspections. As a minimum,
525 inspection procedures shall include the following:

526 4.6.1.5.1. Receiving inspection of incoming materials to the required specification,
527 including review of mill test reports and certificates of conformance to ensure
528 compliance with contract documents.

529 4.6.1.5.2. In-process inspection for workmanship that can affect subsequent
530 operations. (Examples of in-process inspections are nondestructive testing of
531 welds that will be hidden or out of reach during the final inspection; visual

532 examination of fit-up tolerances that will not be visible after welding; areas
533 requiring coatings that will not be accessible during final inspection;
534 monitoring of welding operations as appropriate; fabrication tolerances per
535 Table 4.1; and monitoring of roll-forming operations for shape tolerances per
536 Figure 4.1.) Welding process inspections on multiple pass welds must ensure
537 that proper preheat and interpass temperatures are maintained and that the
538 finished welds meet the tolerances specified in the contract documents and
539 are of the required size, without rejectable indications such as cracks,
540 undercuts, inclusions or porosity. In the event in-process weld inspections
541 are delegated by the in-house Certified Welding Inspector (CWI), there must
542 be documentation ensuring personnel performing assigned inspections have
543 been trained on the specific tasks that are delegated.

544 4.6.1.5.3. All final welds are to be accepted under the direction of the in-house CWI,
545 CWB, or ICC Structural Welding Special Inspector. There must be a record
546 of the final inspection ensuring that receiving, in-process and final
547 inspections have been performed.

548 **Note:** All inspectors or assistant inspectors who accept or reject welds must
549 have a current eye exam in accordance with AWS D1.1.

550 4.6.1.6. **Control of Inspection, Measuring and Test Equipment:** There must be a
551 maintenance schedule, including calibration procedures for testing equipment.
552 Wherever possible, calibration services shall be provided by a calibration laboratory
553 accredited by IAS or by an accreditation body that is a partner with IAS in a mutual
554 recognition arrangement.

555
556 It is recognized there may not be nationally recognized standards available for
557 unique testing equipment. When such instances exist, calibration procedures must be
558 in compliance with manufacturer's recommendations to the extent that such testing
559 equipment is calibrated to ensure consistency with the required measuring
560 capabilities. It is the accredited entity's responsibility to ensure that such testing
561 equipment is approved prior to use.

562 4.6.1.7. **Control of Nonconforming Workmanship:** Procedures shall be established for
563 identifying, documenting and assigning the disposition of nonconforming items.

564 4.6.1.8. **Corrective Action:** The procedure for corrective action shall include investigating,
565 documenting and correcting nonconformances. The procedure must include a
566 provision to preclude repetition.

567 4.6.1.9. Handling, storage and delivery procedures shall include identifying and storing of
568 incoming materials and finished products as appropriate to minimize damage and
569 deterioration.

570 4.6.1.10. **Internal Audits:** Entities accredited under these criteria shall identify the
571 frequency, method of documentation and the content of internal audits to determine
572 the effectiveness of the quality system. Audits shall include a summary that
573 compares the most recent audit to the previous audit, and shall include the
574 elements of AC472.

575 4.6.1.11. **Control of Quality Records:** Entities accredited under these criteria must
576 determine methods for storing, maintaining and accessing quality records for a
577 minimum of two years. Quality records must include the following:

578 4.6.1.11.1. Completed in-house quality inspection reports, forms, and checklists.
579 4.6.1.11.2. Manufacturer test reports and certificates of compliance from vendors, for
580 incoming materials and consumables.
581 4.6.1.11.3. Copies of inspection reports by the inspection agency.
582 4.6.1.11.4. Records of internal audits.
583 4.6.1.11.5. Training records.
584 4.6.1.11.6. Evaluations of vendors and subcontractors.

585 4.6.1.12. **Training:** There must be a procedure for the training of personnel who have an
586 effect on the quality of the finished product. The procedure must include provision
587 for maintaining current personnel qualifications. As a minimum, there must be
588 training requirements established for inspectors, assistant inspectors, machine
589 operators, welders, and fitters.

590 4.6.2. **Part B**

591 4.6.2.1. **Document Control:** Control of documents and data relating to the quality functions
592 must be provided. This control shall include the following:

593 4.6.2.1.1. A document approval procedure.
594 4.6.2.1.2. A procedure to ensure that only current, approved documents are used.
595 4.6.2.1.3. A procedure to ensure that documents are available at all locations where
596 necessary for the proper functioning of the quality management system.

597 4.6.2.2. **Purchasing**

598 4.6.2.2.1. Determining that purchased products will conform to specified requirements.
599 The procedure must include a requirement that the type and grade of
600 material be documented on the purchase order agreement.
601 4.6.2.2.2. Evaluation of subcontractors for their ability to meet subcontract
602 requirements. Evaluations may contain summaries or logs, but must include
603 a means of quantifying and measuring the ability of the subcontractor or

604 supplier to provide quality products or services consistent with the required
605 shop documents.

606 **Note:** While IAS understands some organizations use the term
607 “subcontractor” synonymously with “supplier,” there is a difference, and both
608 suppliers and subcontractors are required to be evaluated on an annual
609 basis.

610 4.6.2.3. **Product Traceability:** The traceability procedure must describe the method used to
611 ensure items are traceable as specified in the contract documents. Items that
612 typically require traceability are materials and consumables that are incorporated into
613 the final product. The project documents will determine if full materials traceability is
614 required; however, the accredited entity must have a procedure to meet the project
615 needs for the type of fabrication performed. In addition to project requirement needs,
616 the accredited entity, as a minimum, must have in their control traceability of the
617 finished product to incoming materials, inspectors, plans and specifications. The
618 procedure must make provision for documentation of this traceability on inspection
619 forms or on a controlled copy of the detail drawing. Material traceability, unless
620 otherwise required by contract documents, is limited to main members and does not
621 include items such as clips. However, as a minimum, all steel used and incorporated
622 into the final product must be traceable to the type and grade of material. All member
623 such as Ceess, Zees and panels must be traced to a heat number.

624 4.6.2.4. **Process Control:** There must be a procedure that identifies how process control is
625 communicated to appropriate personnel. Process control includes procedures such
626 as cutting or saw operations and coating. Examples of forms used in the process
627 control procedure are cut lists, standard drawings or detail drawings. The procedure
628 must describe the method of communicating and establishing priorities of such
629 operations.

630 **Note:** Manufacturers shall have a written procedure for implementing the Steel
631 Coalition Lubricant Task Group Final Report dated May 14, 2002, and show evidence
632 that roll formed roof panels and decking are in conformance with the manufacturer’s
633 written standards with regards to lubricants and labeling.

634 4.6.2.5. **Inspection and Testing:** The inspection procedure shall include provisions for
635 receipt, in-process and final inspections as appropriate to provide a level of
636 assurance that products are fabricated in accordance with contract documents by
637 qualified personnel. Final inspections shall include a record of the results and
638 resolution of nonconformances identified by subsequent inspections. As a minimum,
639 inspection procedures include the following:

- 640 4.6.2.5.1. Receiving inspection of incoming materials to the required specification,
641 including review of mill test reports and certificates of conformance to ensure
642 compliance with contract documents.
- 643 4.6.2.5.2. In-process inspection for workmanship that can affect subsequent
644 operations. (Examples of in-process inspections are areas requiring coatings
645 that will not be accessible during final inspection, fabrication tolerances per
646 Table 4.1 or Table 4.2, and monitoring of roll-forming operations for shape
647 tolerances per Figure 4.1.)
- 648 4.6.2.5.3. Final inspection includes documented acceptance of all workmanship
649 performed, including materials and coatings.
- 650 4.6.2.6. **Control of Inspection, Measuring and Test Equipment:** There must be a
651 maintenance schedule, including calibration procedures for testing equipment.
652 Wherever possible, calibration services shall be provided by a calibration laboratory
653 accredited by IAS or by an accreditation body that is a partner with IAS in a mutual
654 recognition arrangement.
- 655
- 656 It is recognized there may not be nationally recognized standards available for
657 unique testing equipment. When such instances exist, calibration procedures must be
658 in compliance with manufacturer's recommendations to the extent that such testing
659 equipment is calibrated to ensure consistency with the required measuring
660 capabilities. It is the accredited entity's responsibility to ensure that such testing
661 equipment is approved prior to use.
- 662 4.6.2.7. **Control of Nonconforming Workmanship:** Procedures shall be established for
663 identifying, documenting and assigning the disposition of nonconforming items.
- 664 4.6.2.8. **Corrective Action:** The procedure for corrective action shall include investigating,
665 documenting and correcting nonconformances. The procedure must include a
666 provision to preclude repetition.
- 667 4.6.2.9. Handling, storage and delivery procedure shall include identifying and storing of
668 incoming materials and finished products as appropriate to minimize damage and
669 deterioration.
- 670 4.6.2.10. **Internal Audits:** Entities accredited under these criteria shall identify the
671 frequency, method of documentation and the content of internal audits to determine
672 the effectiveness of the quality system. Audits shall include a summary that
673 compares the most recent audit to the previous audit, and shall include the
674 elements of AC472.

675 4.6.2.11. **Control of Quality Records:** Entities accredited under these criteria must
676 determine methods for storing, maintaining and accessing quality records for a
677 minimum of two years. Quality records must include the following:
678 4.6.2.11.1. Completed in-house quality inspection reports, forms, and checklists.
679 4.6.2.11.2. Manufacturer test reports and certificates of compliance from vendors, for
680 incoming materials and consumables.
681 4.6.2.11.3. Copies of inspection reports by the inspection agency.
682 4.6.2.11.4. Records of internal audits.
683 4.6.2.11.5. Training records.
684 4.6.2.11.6. Evaluations of vendors and subcontractors.
685 4.6.2.12. **Training:** There must be a procedure for the training of personnel who have an
686 effect on the quality of the finished product. The procedure must include provision
687 for maintaining current personnel qualifications. As a minimum, there must be
688 training requirements established for inspectors and machine operators.

689 **4.6.3. Part C**

690 4.6.3.1. **Contract Review:** Review of contract documents to ensure that the needed
691 resources exist to fulfill the contract requirements. The contract review procedure
692 must include provisions that assure the review is appropriate, and that the product
693 and service will meet the specifications. Procedures must include a provision for the
694 approval of exceptions or change requests. Reviews shall be performed by personnel
695 who have access to the appropriate information and have adequate knowledge of the
696 contract requirements. Reviews must be approved by the Engineer in Responsible
697 Charge.

698 4.6.3.2. **Engineering:** Entities accredited under these criteria shall have written procedures
699 for production engineering that shall include, at a minimum, requirements covering
700 the information in Sections 4.6.3.2.1 through 4.6.3.2.4.

701 4.6.3.2.1. Information on how incoming contract documents are to be evaluated and
702 provided to the design engineer.

703 4.6.3.2.2. Information for the preparation and checking of design calculations and
704 erection drawings. Design calculations are to be in conformance with the
705 specified codes and standards.

706 4.6.3.2.3. A procedure for the creation of a Letter of Certification. All information
707 pertinent to the structural design that is required to be indicated on the
708 construction documents, as noted in Section 1603 of the applicable edition of
709 the *International Building Code*[®], is to be included. The Letter of Certification
710 shall be sealed in accordance with the engineering laws of the appropriate

711 jurisdiction. As a minimum, the letter of certification shall be in accordance
712 with the requirements of the appropriate jurisdiction.

713 4.6.3.2.4. Information on how detail drawings are prepared and how revisions to project
714 or shop documents and change orders are approved.

715 4.6.3.3. **Control of Quality Records:** Entities accredited under these criteria must determine
716 methods for storing, maintaining and accessing quality records for a minimum of two
717 years. Quality records must include the following:

718 4.6.3.3.1. Order documents
719 4.6.3.3.2. Contract review documents
720 4.6.3.3.3. Design calculations and drawings
721 4.6.3.3.4. Certificate of design conformance
722 4.6.3.3.5. Training records
723 4.6.3.3.6. Evaluations of subcontract engineers and detailers.

724 4.6.3.4. **Training:** There must be a procedure for the training of personnel who have an
725 effect on the quality of the finished product. The procedure must include provision for
726 maintaining current personnel qualifications. As a minimum, there must be training
727 requirements established for project managers, engineers and detailers.

728 4.6.3.5. **Corrective Action:** The procedure for corrective action shall include investigating,
729 documenting and correcting nonconformances. The procedure must include a
730 provision to preclude repetition.

731 4.6.3.6. **Internal Audits:** Entities accredited under these criteria shall identify the frequency,
732 method of documentation and the content of internal audits to determine the
733 effectiveness of the quality system. Audits shall include a summary that compares
734 the most recent audit to the previous audit, and shall include the elements of AC472.

735 736 4.7. Control of Required Procedures

737 4.7.1. Part A

738 **Contract Review:** The quality manager must ensure that contract quality requirements
739 are met. The quality manager will be responsible for reviewing any instructions and/or
740 procedures relative to activities affecting quality to determine if they are properly
741 understood and implemented.

742
743 As a minimum, the following elements must be documented to ensure that contract
744 reviews are managed, controlled, and successfully implemented and communicated to
745 appropriate personnel:

746 4.7.1.1. Quality plans to ensure that fabrication conforms to the most recent project
747 specifications. Quality plans shall include proprietary buy-out items and subcontract

748 fabrication. Project specifications include design drawings, detail drawings, and other
749 related documents.

750 4.7.1.2. As a minimum, quality plans shall address the following:

751 4.7.1.2.1. **Material:** ASTM Grade and Type, AWS filler metal classification.

752 4.7.1.2.1.1. Origin of materials

753 4.7.1.2.1.2. Substitution requirements

754 4.7.1.2.1.3. Material test report requirements

755 4.7.1.2.2. **Workmanship**

756 4.7.1.2.2.1. Cutting of components

757 4.7.1.2.2.1.1. Drilling or punching of holes

758 4.7.1.2.2.1.1.1. Edge distance

759 4.7.1.2.2.1.1.2. Repair of miss-located holes

760 4.7.1.2.2.1.2. Welding requirements

761 4.7.1.2.2.1.2.1. Welding procedure specifications

762 4.7.1.2.2.1.2.2. Control consumables

763 4.7.1.2.2.1.2.3. Cambering, bending, straightening

764 4.7.1.2.2.1.2.4. Dimensional tolerances (See Table 4.2 for built-up section
765 tolerances)

766 4.7.1.2.3. **Coating/Painting/Galvanizing**

767 4.7.1.2.3.1. Surface preparation

768 4.7.1.2.3.2. Manufacture and type of coating

769 4.7.1.2.3.3. Application of coating

770 4.7.1.2.4. Required inspections and sequence of inspections to verify conformance of
771 an item or activity to specified requirements. Procedures needed:

772 4.7.1.2.4.1. Receiving

773 4.7.1.2.4.2. In-process

774 4.7.1.2.4.3. Final

775 4.7.1.2.4.4. Records and reports

776 4.7.1.2.4.5. Nondestructive testing requirements

777 4.7.1.2.5. Acceptance criteria for inspections required in the contract documents for the
778 scope of the project.

779 4.7.1.2.6. Shipping, packaging, and handling requirements.

780 4.7.2. **Part B**

781 **Contract Review:** The quality manager must ensure that contract quality requirements
782 are met. The quality manager will be responsible for reviewing any instructions and/or
783 procedures relative to activities affecting quality to determine if they are properly
784 understood and implemented.

785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820

As a minimum, the following elements must be documented to ensure that contract reviews are managed, controlled, and successfully implemented and communicated to appropriate personnel:

4.7.2.1. Quality plans to ensure that fabrication conforms to the most recent project specifications. Quality plans shall include proprietary buy-out items and subcontract fabrication. Project specifications include design drawings, detail drawings, and other related documents.

4.7.2.2. As a minimum, quality plans shall address the following:

4.7.2.2.1. **Material:** ASTM Grade and Type:

4.7.2.2.1.1. Origin of materials

4.7.2.2.1.2. Substitution requirements

4.7.2.2.1.3. Material test report requirements

4.7.2.2.2. **Workmanship**

4.7.2.2.2.1. Cutting of components

4.7.2.2.2.2. Drilling or punching of holes

4.7.2.2.2.3. Edge distance

4.7.2.2.2.4. Cambering, bending, straightening

4.7.2.2.2.5. Dimensional tolerances (See Tables 4.1 and 4.2 for section tolerances)

4.7.2.2.3. **Coating/Painting/Galvanizing**

4.7.2.2.3.1. Surface preparation

4.7.2.2.3.2. Manufacture and type of coating

4.7.2.2.3.3. Application of coating

4.7.2.2.3.4. Protection of coating

4.7.2.2.4. Required inspections and sequence of inspections to verify conformance of an item or activity to specified requirements. Procedures needed:

4.7.2.2.4.1. Receiving

4.7.2.2.4.2. In-process

4.7.2.2.4.3. Final

4.7.2.2.4.4. Records and reports

4.7.2.2.5. Acceptance criteria for inspections required in the contract documents for the scope of the project.

4.7.2.2.6. Shipping, packaging and handling requirements.

4.7.3. **Part C**

4.7.3.1. **Contract Review:** The Engineer in Responsible Charge must ensure that contract requirements are met. The Engineer in Responsible Charge will be responsible for

821 reviewing the contract documents relative to requirements affecting engineering to
822 determine if they are properly understood and implemented.

823 4.7.3.2. **Design Review:** The Engineer in Responsible Charge will be responsible for
824 ensuring that the production engineer reviews the design documents and the shop
825 documents to verify that the contract requirements are met.

826

827 4.8. **Fabrication Tolerances**

828 4.8.1. **Cold-formed Structural Members:** The fabrication tolerances indicated in Figure 4.1
829 for cold-formed structural members are defined in Table 4.1.

830 4.8.2. **Built-up Structural Members:** The fabrication tolerances indicated in Figures 4.2(a)
831 and 4.2(b) for built-up structural members are defined in Table 4.2.

832

833 5. **ADDITIONAL INFORMATION (AS APPLICABLE)**

834 ~~5.1. International Building Code® , published by the International Code Council.~~

835 ~~5.2. IAS Rules of Procedure for Inspection Programs for Manufacturers of Metal Building Systems.~~

836 ~~5.3-5.1. AWS Welding Quality Assurance Guideline for Fabricators.~~

837 ~~5.4. ANSI/AWS A2.4, Welding Symbols.~~

838 ~~5.5. ANSI/AWS A3.0, Terms and Definitions.~~

839 ~~5.6-5.2. SSPC, The Society for Protective Coatings.~~

840 ~~5.6.1-5.2.1. Steel Structures Painting Manual, Volume I, Good Painting Practice.~~

841 ~~5.6.2-5.2.2. Steel Structures Painting Manual, Volume II, Systems and Specifications.~~

842 ~~5.7. MBMA Metal Building Systems Manual, latest edition.~~

843 ~~5.8. ANSI/AISC 360, Specification for Structural Steel Buildings.~~

844 ~~5.9. ANSI/AISI S100, North American Specification for the Design of Cold-Formed Steel Structural~~
845 ~~Members.~~

846 ~~5.10-5.3. Steel Joist Institute(SJI) Specifications.~~

847 ~~5.11-5.4. SJI K-I.1 Standard Specification for Open Web Steel Joists, K-Series.~~

848 ~~5.12-5.5. SJI LH/DLH-I.1 Standard Specification for Longspan Steel Joists, LH Series and Deep~~
849 ~~Longspan Steel Joists, DLH Series.~~

850 ~~5.13-5.6. Steel Coalition Lubricant Task Group Final Report, May14, 2002.~~

851

852 6. **LINKS TO ADDITIONAL REFERENCES**

853 6.1. IAS – www.iasonline.org

854 6.2. International Code Council – www.iccsafe.org

855 6.3. MBMA – www.mbma.com

856
857
858
859


Table 4.1
Cold-formed Structural Members

Formed Structural Members			
	Dimension	Tolerances	
		+	-
Geometry	D	3/16"	3/16"
	B	3/16"	3/16"
	d	3/8"	1/8"
	θ_1	3°	3°
	θ_2	5°	5°
Hole Location	E ₁	1/8"	1/8"
	E ₂	1/8"	1/8"
	E ₃	1/8"	1/8"
	S ₁	1/16"	1/16"
	S ₂	1/16"	1/16"
	F	1/8"	1/8"
	P	1/8"	1/8"
Length (L)		1/8"	1/8"
Camber (C)		1/4" x L (ft)/ 10	
Minimum Thickness (t)		0.95 (Design t)	

860

861
862
863
864
865
866
867
868
869
870
871
872
873
874
875

Figure 4.1
Cold-formed Structural Members



876
877
878
879
880
881


**Table 4.2
Built-up Structural Members**

Built-up Structural Members				
	Dimension	Tolerances		
		+	-	
	a	3°- 1/4" Max	3°- 1/4" Max	
	b	1/4"	1/4"	
	d	3/16"	3/16"	
	e	1/8"	1/8"	
	c	D/72"		
	f	D/72"		
	E1	1/8"	1/8"	
	E2	1/8"	1/8"	
	E3	1/8"	1/8"	
	S1	1/16"	1/16"	
	S2	1/16"	1/16"	
	F	1/8"	1/8"	
Length (L)		1/4"	1/4"	
Sweep (S)		Runway Beams 1/8" x L(ft)/ 10 All Other members 1/4" x L(ft)/ 10		
Camber (C)		1/4" x L(ft)/ 10		
Splice Plates	N ₁	1/8"	1/8"	
	N ₂	3/16"	3/16"	
	G ₁	1/16"	1/16"	
	G ₂	1/16"	1/16"	
	H	Up to 24"	1/8"	1/8"
		24" to 48"	3/16"	3/16"
		Over 48"	1/4"	1/4"
	J		1/4"	1/4"

882


883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918

Figure 4.2(a)
Built-up Structural Member



919
920
921

Figure 4.2(b)
Built-up Structural Member



922
923
924

ANNEX A

1.0 The inspection agency is limited to the review and implementation of the following shop procedures:

1.1 Product traceability

1.2 Process Control

1.3 Inspection and Testing

1.4 Control of Inspection, Measuring and Test Equipment

1.5 Control of Nonconforming Workmanship

1.6 Corrective Action

1.7 Handling and Storage

1.8 Training of Shop Personnel, Welder Qualification and Inspectors

1.9 Document Control of Shop Procedures.

2.0 Inspection Agency participation is limited to AC472 Part A and B only.

These criteria were previously issued April 2008, September 2008, May 2010, April 2011, August 2012, September 2013, February 2015, and April 2017 and June 2017.