

CERTIFICATE OF ACCREDITATION

This is to attest that

CFT CORPORATION

NO. 240 RENMIN ROAD, YUZHONG DISTRICT, CHONGQING, 400010, CHINA

Testing Laboratory TL-1016

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories*, and has demonstrated compliance with ISO/IEC Standard 17025:2017, *General requirements for the competence of testing and calibration laboratories*. This organization is accredited to provide the services specified in the scope of accreditation.

Effective Date February 16, 2024



President

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. I www.iasonline.org

CFT CORPORATION

Contact Name Jay Lee

Contact Phone +86-18883899866

Accredited to ISO/IEC 17025:2017

Effective Date February 16, 2024

Physical Testing		
40 CFR Part 770 Title VI (EPA)	Formaldehyde Concentrations in Air from Composite Wood Products	
ANSI A208.1	Particleboard	
ANSI A208.2	Medium Density Fiberboard (Mdf) For Interior Applications	
ANSI/NALFA LF01	Laminate flooring - specifications and test methods	
AS 1649	Timber—Methods of test for mechanical fasteners and connectors—Basic working loads and characteristic strengths	
AS 2858	Timber-Softwood-Visually stress-graded for structural purposes	
AS 6669	Plywood-Formwork	
AS/NZS 1080.1	Timber - methods of test method 1: Moisture content	
AS/NZS 1328.1	Glued laminated structural timber Part 1: Performance requirements and minimum production requirements	
AS/NZS 1577	Scaffold decking components	
AS/NZS 1604.1	Preservative-treated wood-based products Part 1: Products and treatment	
AS/NZS 1604.2	Preservative-treated wood-based products Part 2: Verification requirements	
AS/NZS 1604.3	Preservative-treated wood-based products Part 3: Test methods	
AS/NZS 1604.4	Specification for preservative treatment - Laminated veneer lumber (LVL)	
AS/NZS 1748.1	Timber - Solid - Stress-graded for structural purposes General requirements	
AS/NZS 1860.1	Particleboard flooring Part 1: Specifications	
AS/NZS 2098.1	Methods of test for veneer and plywood – Method 1: Moisture content of veneer and plywood	
AS/NZS 2098.2	Methods of test for veneer and plywood – Method 2: Bond quality of plywood (chisel test)	
AS/NZS 2098.3	Methods of test for veneer and plywood method 3: Bond quality and strength of scaft joints in plywood	





SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

AS/NZS 2098.4	Methods of test for veneer and plywood method 4: measurement of dimensions and shapes for sheets of veneer and plywood
AS/NZS 2098.11	Methods of Test for Veneer and Plywood – Method 11: Determination of formaldehyde emissions for plywood
AS/NZS 2269.0	Plywood-Structural Part 0: Specifications
AS/NZS 2269.1	Plywood - Structural Part 1: Determination of structural properties – Test methods
AS/NZS 2269.2	Plywood - Structural – Part 2: Determination of structural properties – Evaluation methods
AS/NZS 2271	Plywood and blockboard for exterior use
AS/NZS 2272	Plywood - Marine
AS/NZS 2588	Gypsum plasterboard
AS/NZS 4063.1	Characterization of structural timber – Part 1: Test methods
AS/NZS 4063.2	Characterization of structural timber – Part 2: Determination of characteristic values
AS/NZS 4357.0	Structural laminated veneer lumber – Part 0: Specifications
AS/NZS 4357.1	Structural laminated veneer lumber - Method of test for measurement of dimensions and shape
AS/NZS 4357.2	Structural laminated veneer lumber (LVL) – Part 2: Determination of structural properties – Test methods (Except section 12 to 16)
AS/NZS 4357.3	Structural laminated veneer lumber (LVL) – Part 3: Determination of structural properties – Evaluation methods
AS/NZS 4357.4	Structural laminated veneer lumber – Part 4: Determination of formaldehyde emissions
ASTM D4442	Standard Test Methods for Direct Moisture Content Measurement of Wood and Wood-Base Materials
ASTM D5456	Standard Specification for Evaluation of Structural Composite Lumber Products
ASTM D6007	Standard Test Method for Determining Formaldehyde Concentrations in Air from Wood Products Using a Small-Scale Chamber
ASTM E1333	Standard Test Method for Determining Formaldehyde Concentrations in Air and Emission Rates from Wood Products Using a Large Chamber
BS 1088	Marine plywood – Requirements
BS EN 300	Oriented Strand Boards (OSB) -Definitions, Classification and Specifications
BS EN 312	Particleboards — Specifications
BS EN 13986	Wood-based Panels for Use In Construction - Characteristics, Evaluation of Conformity And Marking
BS EN 14374	Timber structures-structural laminated veneer lumber-requirements
	I .



SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

BS EN 14080	Timber structures-Glued laminated timber and glued solid timber — Requirements
BS EN ISO 12460-5	Wood-Based Panels - Determination of formaldehyde release Part 5: Extraction method (called the perforator method)
GB 18580	Indoor decorating and refurbishing materials -Limit of formaldehyde emission of wood based panels and finishing products
GB/T 4897	Particleboard
GB/T 9846	Plywood for general use
GB/T 11718	Medium Density Fiberboard
GB/T 15102	Surface decorated fiberboard and particleboard with paper impregnated thermosetting resins
GB/T 17657	Test methods of evaluating the properties of wood-based panels and surface decorated wood-based panels (Sections 4.1 to 4.26, 4.28, 4.30 to 4.52, 4.56 to 4.60)
GB/T 18102	Laminate flooring
GB/T 18103	Engineered wood flooring
GB/T 20241	Laminated veneer lumber
GB/T 26899	Structural glued laminated timber
GB/T 29899	Determination of the emission of volatile organic compounds from wood-based panels and furnishing–Small chamber method
GB/T 37315	Basic Requirements of Bond Performance of Adhesives of Timber Structures
GB/T 39600	Formaldehyde Emission Grading for Wood-based Panel and Finishing Products
ICC-ES AC47	Acceptance Criteria for Structural Wood-based Products
JIS A 1460	Determination of The Emission of Formaldehyde From Building Boards – Desiccator Method
JIS A 5905	Fiberboards
JIS A 5908	Particleboards
US DOC PS1	Structural Plywood (sections 5.7, 5.9, 5.10, and 5.11 only)
US DOC PS2	Performance standard for wood-based structural use panels (section 6.0 only)

