



CERTIFICATE OF ACCREDITATION

This is to attest that

INSPECTORATE INTERNATIONAL LIMITED

NATIONAL INDUSTRIES PARK – PLOT 010407, JEBEL ALI
DUBAI, 49400, UNITED ARAB EMIRATES

Testing Laboratory TL-1116

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories*, and has demonstrated compliance with ISO/IEC Standard 17025:2017, *General requirements for the competence of testing and calibration laboratories*. This organization is accredited to provide the services specified in the scope of accreditation.

Effective Date July 11, 2023



A handwritten signature in black ink that reads 'Raj Nathan'.

President

SCOPE OF ACCREDITATION

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

INSPECTORATE INTERNATIONAL LIMITED

www.middle-east.bureauveritas.com

Contact Name Leisha Kotiah

Contact Phone +971-505516806

Accredited to ISO/IEC 17025:2017

Effective Date July 11, 2023

Food Materials	
AOAC 974.29 & AOAC 971.30	Vitamin A & Vitamin E - In House SOP referenced from AOAC Method 974.29 & AOAC Method 971.30
AOAC 2007.01	AOAC 2007.01- Pesticides by LCMSMS - Cereals &Pulses, Spices
AOAC 2007.01	AOAC 2007.01 - Pesticides by GCMSMS - Cereals &Pulses, Spices
APHA 9610 D	Yeast and Mold in Water - APHA 9610 D
BS EN 1276:2019	Germicidal Activity - BSEN 1276:2019
Endotoxin Kit Method	Endotoxin - ELISA Kit SOP (Thermoscientific Pierce chromogenicendotoxin quant kit Method) in water samples.
GSO 590/GSO 1016:2017	Commercial Sterility of Canned Products
In House LSI 034	In House LSI – Caffeine by HPLC
In House LSI 035	Aflatoxin B1, Aflatoxin B2, Aflatoxin G1, Aflatoxin G2, Total Aflatoxin, Fumonisin B1, Fumonisin B2, Total Fumonisin, Deoxynivalenol, Ochratoxin by LCMSMS - Sciex Application Note for Mycotoxins analysis
In House LSI 036	Metallic Elements in Food - Copper, Magnesium, Calcium, Iron, Potassium,Zinc, Cadmium, Lead - In House SOP
In House LSI 037 referenced from Water activity manual	Water Activity - Instrument Manual
In House LSI 038	PCBs in Water - In House SOP
In House LSI 040	In House SOP - Real Time Shelf Life
In House LSI 042	In House LSI – Total Cholesterol by HPLC
In House LSI 043	Sugar Profile in Food - Glucose, Fructose, Maltose, Lactose, Sucrose, Total Sugar by HPLC, In House LSI
In house LSI 20	RT-PCR, Salmonella Serotyping - PowerPrep DNA Extraction from Tissue Kit (E0008) Protocol
In house LSI 23	ELISA - LSI 23 for Qualitative detection of Gluten Allergens in Food, Feed, Beverage& environmental samples by RT PCR
In House LSI 621	LSI 621 Benzoic Acid and Sorbic Acid inFood R0-08-22