

# **CERTIFICATE OF ACCREDITATION**

This is to attest that

#### **ARAB COMPANY FOR LABORATORIES AND SOIL - NEOM SITE LAB**

NEOM SITE LAB GAYAL, 21382, KINGDOM OF SAUDI ARABIA

#### **Testing Laboratory TL-1136**

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories*, and has demonstrated compliance with ISO/IEC Standard 17025:2017, *General requirements for the competence of testing and calibration laboratories*. This organization is accredited to provide the services specified in the scope of accreditation.

Effective Date July 7, 2023



President

Visit www.iasonline.org for current accreditation information.

International Accreditation Service, Inc. 3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

#### ARAB COMPANY FOR LABORATORIES AND SOIL -NEOM SITE LAB

#### Contact Name Tariq Diab

#### Contact Phone +966 593179586

Accredited to ISO/IEC 17025:2017

Effective Date July 7, 2023

| Conformity Specific | ations  |
|---------------------|---|
| ASTM C1077          | Practice for Agencies Testing Concrete and Concrete Aggregates for Use in   |
|                     | Construction and Criteria for Testing Agency Evaluation   |
| ASTM C1093          | Practice for Accreditation of Testing Agencies for Masonry  |
| ASTM D3666          | Specification for Minimum Requirements for Agencies Testing and   |
|                     | Inspecting Road and Paving Materials  |
| ASTM D3740          | Practice for Minimum Requirements for Agencies Engaged in Testing and/or<br>Inspection of Soil and Rock as Used in Engineering Design and<br>Construction |
| ASTM E329           | Standard Specification for Agencies Engaged in Construction Inspection,<br>Testing, or Special Inspection (sections 8-12)                                 |
| ASTM E543           | Specification for Agencies Performing Nondestructive Testing  |
| ASTM E2174          | Practice for On-Site Inspection of Installed Firestops  |
| ASTM E2393          | Practice for On-Site Inspection of Installed Fire Resistive Joint Systems and<br>Perimeter Fire Barriers  |
| Concrete            |   |
| ACI 207.2           | Report on Thermal and Volume Change Effects on Cracking of Mass<br>Concrete   |
| ACI 211.1           | Standard Practice for Selecting Proportions for Normal, Heavyweight, and Mass Concrete  |
| ACI 211.2           | Standard Practice for Selecting Proportions for Structural Lightweight<br>Concrete  |
| ACI 211.4           | Guide for Selecting Proportions for High-Strength Concrete  |
| ACI 212.3           | Report on chemical admixtures for concrete  |
| ACI 214.1 R         | Guide to Evaluation of Strength Test Results of Concrete  |
| ACI 214.4 R         | Guide for obtaining cores and interpreting compressive strength results   |
| ACI 216.1           | Code Requirements for Determining Fire Resistance of Concrete and Masonry Construction Assemblies   |
| ACI 228.1R          | In-Place Methods to Estimate Concrete Strength  |
| ACI 228.2R          | Report on Nondestructive Test Methods for Evaluation of Concrete in<br>Structures   |



INTERNATIONAL

ACCREDITATION SERVICE®

Page 2 of 11

International Accreditation Service, Inc.

| ACI 237r           | Self-Consolidating Concrete  |
|--------------------|--|
|                    |  |
| ACI 301            | Specifications for Structural Concrete (Section 8)   |
| ACI 318 Chapter 27 | Strength Evaluation of Existing Structures   |
| ACI 364.1          | guide for assessment of concrete structures before rehabilitation  |
| ACI 437            | Strength Evaluation of Existing Concrete Buildings   |
| ACI 437.1          | Load Tests of Concrete Structures Methods, Magnitude, Protocols and Acceptance Criteria                                    |
| ACI 506.2          | Shotcrete Testing  |
| ACI 562            | Code Requirements for Assessment, Repair, and Rehabilitation of Existing Concrete Structures                               |
| ASTM C31/C31M      | Standard Practice for Making and Curing Concrete Test Specimens in the Field   |
| ASTM C39/C39M      | Standard Test Method for Compressive Strength of Cylindrical Concrete<br>Specimens   |
| ASTM C42/C42M      | Standard Test Method for Obtaining and Testing Drilled Cores and Sawed Beams of Concrete                                   |
| ASTM C78           | Standard Test Method for Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)                        |
| ASTM C94           | Standard Specification for Ready-Mixed Concrete  |
| ASTM C133          | Standard Test Methods for Cold Crushing Strength and Modulus of Rupture of Refractories                                    |
| ASTM C134          | Standard Test Methods for Size, Dimensional Measurements, and Bulk<br>Density of Refractory Brick and Insulating Firebrick |
| ASTM C138/C138M    | Standard Test Method for Density (Unit Weight), Yield, and Air Content (Gravimetric) of Concrete                           |
| ASTM C143/C143M    | Standard Test Method for Slump of Hydraulic-Cement Concrete  |
| ASTM C157          | Length Change of Hardened Hydraulic-Cement Mortar and Concrete   |
| ASTM C172/C172M    | Standard Practice for Sampling Freshly Mixed Concrete  |
| ASTM C173          | Air Content of Freshly Mixed Concrete by the Volumetric Method   |
| ASTM C174/C174M    | Standard Test Method for Measuring Thickness of Concrete Elements Using<br>Drilled Concrete Cores                          |
| ASTM C192          | Standard Practice for Making and Curing Concrete Test Specimens in the Laboratory  |
| ASTM C231/C231M    | Standard Test Method for Air Content of Freshly Mixed Concrete by the<br>Pressure Method. Method B.                        |
| ASTM C232          | Standard Test Method for Bleeding of Concrete  |
| ASTM C293          | Standard Test Method for Flexural Strength of Concrete (Using Simple Beam with Center-Point Loading)                       |
| ASTM C403          | Standard Test Method for Time of Setting of Concrete Mixtures by<br>Penetration Resistance                                 |
| ASTM C426          | Standard Test Method for Linear Drying Shrinkage of Concrete Masonry<br>Units  |



International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

| ASTM C469         | Static Modulus of Elasticity of Concrete in Compression   |
|-------------------|---|
| ASTM C490         | Standard Practice for Use of Apparatus for the Determination of Length<br>Change of Hardened Cement Paste, Mortar, and Concrete   |
| ASTM C511         | Standard Specification for Mixing Rooms, Moist Cabinets, Moist Rooms, and<br>Water Storage Tanks Used in the Testing of Hydraulic Cements and<br>Concretes                                  |
| ASTM C597         | Standard Test Method for Pulse Velocity Through Concrete  |
| ASTM C617/C617M   | Standard Practice for Capping Cylindrical Concrete Specimens  |
| ASTM C642         | Standard Test Method for Density, Absorption, and Voids in Hardened Concrete  |
| ASTM C805/C805M   | Standard Test Method for Rebound Number of Hardened Concrete  |
| ASTM C876         | Standard Test Method for Corrosion Potentials of Uncoated Reinforcing<br>Steel in Concrete  |
| ASTM C900         | Standard Test Method for Pullout Strength of Hardened Concrete  |
| ASTM C939         | Standard Test Method for Flow of Grout for Preplaced-Aggregate Concrete (Flow Cone Method)  |
| ASTM C940         | Standard Test Method for Expansion and Bleeding of Freshly Mixed Grouts for Preplaced-Aggregate Concrete in the Laboratory  |
| ASTM C1064/C1064M | Standard Test Method for Temperature of Freshly Mixed Hydraulic-Cement<br>Concrete  |
| ASTM C1140        | Standard Practice for Preparing and Testing Specimens from Shotcrete Test<br>Panels   |
| ASTM C1202        | Standard Test Method for Electrical Indication of Concrete's Ability to Resist<br>Chloride Ion Penetration  |
| ASTM C1231/C1231M | Standard Practice for Use of Unbonded Caps in Determination of<br>Compressive Strength of Hardened Cylindrical Concrete Specimens   |
| ASTM C1354        | Standard Test Method for Strength of Individual Stone Anchorages in<br>Dimension Stone  |
| ASTM C1550        | Standard Test Method for Flexural Toughness of Fiber Reinforced Concrete (Using Centrally Loaded Round Panel)   |
| ASTM C1582        | Standard Test Method for Acid-Soluble Chloride in Mortar and Concrete   |
| ASTM C1583        | Standard Test Method for Tensile Strength of Concrete Surfaces and the<br>Bond Strength or Tensile Strength of Concrete Repair and Overlay Materials<br>by Direct Tension (Pull-off Method) |
| ASTM C1585        | Standard Test Method for Measurement of Rate of Absorption of Water by<br>Hydraulic-Cement Concretes  |
| ASTM C1602        | Standard Specification for Mixing Water Used in the Production of Hydraulic Cement Concrete   |
| ASTM C1604        | Standard Test Method for Obtaining and Testing Drilled Cores of Shotcrete   |
| ASTM C1609        | Standard Test Method for Flexural Performance of Fiber-Reinforced<br>Concrete (Using Beam with Third-Point Loading)   |
| ASTM C1611        | Standard Test Method for Slump Flow of Self-Consolidating Concrete  |
| ASTM D4541        | Standard Test Method for Pull-Off Strength of Coatings Using Portable<br>Adhesion Testers   |



INTERNATIONAL ACCREDITATION

**SERVICE®** 

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

| ASTM D7234      | Standard Test Method for Pull-Off Adhesion Strength of Coatings on<br>Concrete Using Portable Pull-Off Adhesion Testers   |
|-----------------|---|
| BS 1881-122     | Testing concrete Method for determination of water absorption   |
| BS 1881-208     | Testing concrete Recommendations for the determination of the initial surface absorption of concrete  |
| BS EN 1338      | Concrete paving blocks. Requirements and test methods   |
| BS EN 1339      | Concrete paving flags. Requirements and test methods  |
| BS EN 12350-5   | Testing fresh concrete Flow table test  |
| BS EN 12350-8   | Testing fresh concrete Self-compacting concrete. Slump-flow test  |
| BS EN 12350-9   | Testing fresh concrete. Self-compacting concrete - V funnel test  |
| BS EN 12350-10  | Testing fresh concrete Self-compacting concrete. L box test   |
| BS EN 12350-11  | Testing fresh concrete Self-compacting concrete. Sieve segregation test   |
| BS EN 12350-12  | Testing fresh concrete Self-compacting concrete. J-ring test  |
| BS EN 12390-8   | Testing hardened concrete Depth of penetration of water under pressure  |
| BS EN 14488-2   | Testing Sprayed Concrete  |
| BS EN 14651     | Test method for metallic fiber concrete. Measuring the flexural tensile strength (limit of proportionality (LOP), residual)   |
| BS EN 14721     | Test method for metallic fiber concrete. Measuring the fiber content in fresh and hardened concrete   |
| DIN 1048-part 5 | Testing of Hardened Concrete - Clause 7.6 "Water Permeability"  |
| EFNARC 1996     | Testing Sprayed Concrete  |
| NT Build 492    | CONCRETE, MORTAR AND CEMENT-BASED REPAIR MATERIALS:<br>CHLORIDE MIGRATION COEFFICIENT FROM NON-STEADY-STATE<br>MIGRATION EXPERIMENTS  |
| Soil            |   |
| ASTM C1580      | Standard Test Method for Water-Soluble Sulfate in Soil  |
| ASTM D698       | Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft- lbf/ft3 (600 kN-m/m3))  |
| ASTM D1140      | Standard Test Methods for Determining the Amount of Material Finer than<br>75-µm (No. 200) Sieve in Soils by Washing  |
| ASTM D1195      | Standard Test Method for Repetitive Static Plate Tests of Soils and Flexible<br>Pavement Components for Use in Evaluation and Design of Airport and<br>Highway Pavements          |
| ASTM D1196      | Standard Test Method for Nonrepetitive Static Plate Load Tests of Soils and<br>Flexible Pavement Components, for Use in Evaluation and Design of Airport<br>and Highway Pavements |
| ASTM D1556      | Standard Test Method for Density and Unit Weight of Soil in Place by Sand-<br>Cone Method   |
| ASTM D1557      | Standard Test Methods for Laboratory Compaction Characteristics of Soil<br>Using Modified Effort (56.000 ft- lbf/ft3 (2.700 kN-m/m3))   |



INTERNATIONAL ACCREDITATION

**SERVICE®** 

International Accreditation Service, Inc.

| ASTM D1883 | Standard Test Method for California Bearing Ratio (CBR) of Laboratory-<br>Compacted Soils   |
|------------|---|
| ASTM D2167 | Standard Test Method for Density and Unit Weight of Soil in Place by the Rubber Balloon Method  |
| ASTM D2216 | Standard Test Methods for Laboratory Determination of Water (Moisture)<br>Content of Soil and Rock by Mass  |
| ASTM D2419 | Standard Test Method for Sand Equivalent Value of Soils and Fine<br>Aggregate   |
| ASTM D2487 | Standard Practice for Classification of Soils for Engineering Purposes (Unified Soil Classification System)   |
| ASTM D2573 | Standard Test Method for Field Vane Shear Test in Cohesive Soil   |
| ASTM D3080 | Standard Test Method for Direct Shear Test of Soils Under Consolidated<br>Drained Conditions (Withdrawn 2020)   |
| ASTM D3282 | Standard Practice for Classification of Soils and Soil- Aggregate Mixtures for Highway Construction Purposes  |
| ASTM D4253 | Standard Test Methods for Maximum Index Density and Unit Weight of Soils Using a Vibratory Table  |
| ASTM D4254 | Standard Test Methods for Minimum Index Density and Unit Weight of Soils<br>and Calculation of Relative Density                                       |
| ASTM D4318 | Standard Test Methods for Liquid Limit, Plastic Limit, and Plasticity Index of Soils  |
| ASTM D4429 | Standard Test Method for CBR (California Bearing Ratio) of Soils in Place (Silty sand with gravel or rock only)                                       |
| ASTM D4718 | Standard Practice for Correction of Unit Weight and Water Content for Soils<br>Containing Oversize Particles  |
| ASTM D5731 | Standard Test Method for Determination of the Point Load Strength Index of Rock and Application to Rock Strength Classifications                      |
| ASTM D6913 | Standard Test Methods for Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis  |
| ASTM D6938 | Standard Test Methods for In-Place Density and Water Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)                            |
| ASTM D6951 | Standard Test Method for Use of the Dynamic Cone Penetrometer in Shallow Pavement Applications  |
| ASTM D7012 | Standard Test Methods for Compressive Strength and Elastic Moduli of<br>Intact Rock Core Specimens under Varying States of Stress and<br>Temperatures |
| ASTM D7830 | Standard Test Method for In-Place Density (Unit Weight) and Water Content<br>of Soil Using an Electromagnetic Soil Density Gauge                      |
| ASTM D7928 | Standard Test Method for Particle-Size Distribution (Gradation) of Fine-<br>Grained Soils Using the Sedimentation (Hydrometer) Analysis               |
| DIN 18134  | Testing procedures and testing equipment-Plate load test  |
| Aggregate  |   |
| ASTM C29   | Standard Test Method for Bulk Density ("Unit Weight") and Voids in Aggregate  |
| ASTM C40   | Standard Test Method for Organic Impurities in Fine Aggregates for<br>Concrete  |
| ASTM C88   | Standard Test Method for Soundness of Aggregates by Use of Sodium<br>Sulfate or Magnesium Sulfate   |



International Accreditation Service, Inc.

| ASTM C117    | Standard Test Method for Materials Finer than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing                                   |
|--------------|--|
| ASTM C123    | Standard Test Method for Lightweight Particles in Aggregate  |
| ASTM C127    | Standard Test Method for Relative Density (Specific Gravity) and Absorption of Coarse Aggregate  |
| ASTM C128    | Standard Test Method for Relative Density (Specific Gravity) and Absorption of Fine Aggregate  |
| ASTM C131    | Standard Test Method for Resistance to Degradation of Small-Size Coarse<br>Aggregate by Abrasion and Impact in the Los Angeles Machine |
| ASTM C136    | Standard Test Method for Sieve Analysis of Fine and Coarse Aggregates  |
| ASTM C142    | Standard Test Method for Clay Lumps and Friable Particles in Aggregates  |
| ASTM C535    | Standard Test Method for Resistance to Degradation of Large-Size Coarse<br>Aggregate by Abrasion and Impact in the Los Angeles Machine |
| ASTM C702    | Standard Practice for Reducing Samples of Aggregate to Testing Size  |
| ASTM C1260   | Standard Test Method for Potential Alkali Reactivity of Aggregates (Mortar-<br>Bar Method)   |
| ASTM D75     | Standard Practice for Sampling Aggregates  |
| BS 812-105.2 | Testing aggregates. Methods for determination of particle shape. Elongation index of coarse aggregate                                  |
| BS 812-110   | Methods for determination of aggregate crushing value (ACV)  |
| BS 812-111   | Testing aggregates Methods for determination of ten per cent fines value (TFV)   |
| BS 812-112   | Testing aggregates Method for determination of aggregate impact value (AIV)  |
| BS EN 933-3  | Tests for geometrical properties of aggregates. Determination of particle shape. Flakiness index                                       |
| BS EN 1097-2 | Tests for mechanical and physical properties of aggregates. Methods for the determination of resistance to fragmentation               |
| BS EN 1367-4 | Determination of drying shrinkage  |
| BS EN 12620  | Aggregates for concrete  |
| Asphalt      |  |
| ASTM D979    | Standard Practice for Sampling Bituminous Paving Mixtures  |
| ASTM D2041   | Standard Test Method for Theoretical Maximum Specific Gravity and<br>Density of Bituminous Paving Mixtures                             |
| ASTM D2172   | Standard Test Methods for Quantitative Extraction of Asphalt Binder from Asphalt Mixtures  |
| ASTM D2240   | Standard Test Method for Rubber Property—Durometer Hardness  |
| ASTM D2726   | Standard Test Method for Bulk Specific Gravity and Density of Non-<br>Absorptive Compacted Asphalt Mixtures                            |
| ASTM D3203   | Standard Test Method for Percent Air Voids in Compacted Asphalt Mixtures   |
| ASTM D3549   | Standard Test Method for Thickness or Height of Compacted Asphalt<br>Mixture Specimens   |



International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

| ASTM D4402           | Standard Test Method for Viscosity Determination of Asphalt at Elevated<br>Temperatures Using a Rotational Viscometer"                                     |
|----------------------|--|
| ASTM D4867           | Standard Test Method for Effect of Moisture on Asphalt Concrete Paving<br>Mixtures   |
| ASTM D5361           | Standard Practice for Sampling Compacted Asphalt Mixtures for Laboratory<br>Testing  |
| ASTM D5581           | Standard Test Method for Resistance to Plastic Flow of Bituminous Mixtures<br>Using Marshall Apparatus (6 inch- Diameter Specimen)                         |
| ASTM D6925           | Standard Test Method for Preparation and Determination of the Relative<br>Density of Asphalt Mix Specimens by Means of the Superpave Gyratory<br>Compactor |
| ASTM D6926           | Standard Practice for Preparation of Asphalt Mixture Specimens Using<br>Marshall Apparatus   |
| ASTM D6927           | Standard Test Method for Marshall Stability and Flow of Asphalt Mixtures   |
| ASTM D6931           | Standard Test Method for Indirect Tensile (IDT) Strength of Asphalt Mixtures   |
| MS-2                 | Asphalt Mix Design Methods   |
| SP-2                 | Superpave Mix Design   |
| Non-Destructive Test |  |
| ASTM D6132           | Standard Test Method for Nondestructive Measurement of Dry Film<br>Thickness of Applied Organic Coatings Using an Ultrasonic Coating<br>Thickness Gage     |
| ASTM E164            | Standard Practice for Contact Ultrasonic Testing of Weldments  |
| ASTM E376            | Standard Practice for Measuring Coating Thickness by Magnetic-Field or<br>Eddy Current (Electromagnetic) Testing Methods                                   |
| ASTM E1417           | Standard Practice for Liquid Penetrant Testing   |
| ASTM E1444           | Standard Practice for Magnetic Particle Testing  |
| Concrete Masonry un  | its  |
| ASTM C90             | Standard Specification for Loadbearing Concrete Masonry Units  |
| ASTM C129            | Standard Specification for Nonloadbearing Concrete Masonry Units   |
| ASTM C140            | Standard Test Methods for Sampling and Testing Concrete Masonry Units<br>and Related Units   |
| ASTM C936            | Standard Specification for Solid Concrete Interlocking Paving Units  |
| Cement and Cementit  | tious Additives  |
| ASTM C109            | Standard Test Method for Compressive Strength of Hydraulic Cement<br>Mortars (Using 2-in. or [50-mm] Cube Specimens)                                       |
| ASTM C150            | Standard Specification for Portland Cement   |
| ASTM C185            | Standard Test Method for Air Content of Hydraulic Cement Mortar  |
| ASTM C191            | Standard Test Methods for Time of Setting of Hydraulic Cement by Vicat Needle  |
| ASTM C204            | Standard Test Methods for Fineness of Hydraulic Cement by Air-<br>Permeability Apparatus   |



INTERNATIONAL ACCREDITATION

**SERVICE®** 

International Accreditation Service, Inc.

| ASTM C311                 | Standard Test Methods for Sampling and Testing Fly Ash or Natural   |
|---------------------------|---|
|                           | Pozzolans for Use in Portland-Cement Concrete   |
| ASTM C430                 | Standard Test Method for Fineness of Hydraulic Cement by the 45-µm (No. 325) Sieve  |
| ASTM C618                 | Standard Specification for Coal Fly Ash and Raw or Calcined Natural   |
|                           | Pozzolan for Use in Concrete  |
| ASTM C989                 | Standard Specification for Slag Cement for Use in Concrete and Mortars  |
| ASTM C1240                | Standard Specification for Silica Fume Used in Cementitious Mixtures  |
| Pile Testing              |   |
| ASTM D1143/D1143M         | Standard Test Methods for Deep Foundations Under Static Axial<br>Compressive Load   |
| ASTM D3689                | Standard Test Methods for Deep Foundation Elements Under Static Axial Tensile Load  |
| ASTM D3966                | Standard Test Methods for Deep Foundations Under Lateral Load   |
| ASTM D4945                | Standard Test Method for High-Strain Dynamic Testing of Deep Foundations  |
| ASTM D5882                | Standard Test Method for Low Strain Impact Integrity Testing of Deep<br>Foundations   |
| ASTM D6167                | Standard Guide for Conducting Borehole Geophysical Logging: Mechanical Caliper  |
| ASTM D6760                | Test Method for Integrity Testing of Concrete Deep Foundations by<br>Ultrasonic Crosshole Testing   |
| ASTM D7949                | Standard Test Methods for Thermal Integrity Profiling of Concrete Deep<br>Foundations   |
| ASTM D8169                | Standard Test Methods for Deep Foundations Under Bi-Directional Static<br>Axial Compressive Load  |
| Building Material Testing |   |
| AMAA 501                  | Water Penetration of Windows, Curtain Walls and Doors Using Dynamic<br>Pressure   |
| AMAA 502                  | Standard Test Method for Determining Air Leakage Rate by Fan<br>Pressurization  |
| AMAA 503                  | Field Testing of Newly Installed Storefronts, Curtain Walls, and Sloped Glazing Systems   |
| ASTM E90                  | Standard Test Method for Laboratory Measurement of Airborne Sound<br>Transmission Loss of Building Partitions and Elements  |
| ASTM E110                 | Standard Test Method for Rockwell and Brinell Hardness of Metallic<br>Materials by Portable Hardness Testers  |
| ASTM E283                 | Standard Test Method for Determining Rate of Air Leakage Through Exterior<br>Windows, Skylights, Curtain Walls, and Doors Under Specified Pressure<br>Differences Across the Specimen |
| ASTM E330                 | Standard Test Method for Structural Performance of Exterior Windows,<br>Doors, Skylights and Curtain Walls by Uniform Static Air Pressure Difference                                  |
| ASTM E331                 | Standard Test Method for Water Penetration of Exterior Windows, Skylights,<br>Doors, and Curtain Walls by Uniform Static Air Pressure Difference                                      |
| ASTM E336                 | Standard Test Method for Measurement of Airborne Sound Attenuation between Rooms in Buildings   |





International Accreditation Service, Inc.

| ASTM E547                                   | Standard Test Method for Water Penetration of Exterior Windows, Skylights,<br>Doors, and Curtain Walls by Cyclic Static Air Pressure Difference   |
|---|---|
| ASTM E779                                   | Determining Air Leakage Rate by Fan Pressurization  |
| ASTM E783                                   | Standard Test Method for Field Measurement of Air Leakage Through<br>Installed Exterior Windows and Doors   |
| ASTM E1007                                  | Standard Test Method for Field Measurement of Tapping Machine Impact<br>Sound Transmission Through Floor-Ceiling Assemblies and Associated<br>Support Structures                                |
| ASTM E1105                                  | Standard Test Method for Field Determination of Water Penetration of<br>Installed Exterior Windows, Skylights, Doors, and Curtain Walls, by Uniform<br>or Cyclic Static Air Pressure Difference |
| ATTMA-TSL1                                  | Technical Standard L1. Measuring Air Permeability of Building Envelopes (Dwellings)   |
| ATTMA-TSL2                                  | Technical Standard L2. Measuring Air Permeability of Building Envelopes (Non-Dwellings)   |
| BS EN 15004-1                               | Gaseous fire-extinguishing systems - Physical properties and system design<br>"Door fan test for determining of minimum hold time"  |
| ISO 4624                                    | Pull-off test for adhesion  |
| ISO 9972                                    | Thermal performance of buildings -Determination of air permeability of buildings - Fan pressurization method  |
| ISO/DIS 14520-1                             | Gaseous fire-extinguishing systems - Physical properties and system design<br>"Door fan test for determining of minimum hold time"  |
| NFPA 2001 Annex C                           | Standard on Clean Agent Fire Extinguishing Systems  |
| USACE                                       | U.S. Army Corps of Engineers Air Leakage Test Protocol for Building<br>Envelopes  |
| Geotechnical                                |   |
| ASTM D1586                                  | Standard Test Method for Standard Penetration Test (SPT) and Split-Barrel Sampling of Soils   |
| ASTM D5334                                  | Standard Test Method for Determination of Thermal Conductivity of Soil and Rock by Thermal Needle Probe Procedure   |
| ASTM G57                                    | Standard Test Method for Measurement of Soil Resistivity Using the Wenner<br>Four-Electrode Method  |
| BS EN 5930                                  | Code of Practice for Ground Investigations  |
| Chemical and Environmen                     | tal   |
| APHA 2130 B;24 <sup>th</sup> edition        | Turbidity (Nephelometric Method)  |
| APHA 2320 B: 24 <sup>th</sup> edition       | Total Alkalinity (Titration Method)   |
| APHA 2540 C: 24 <sup>th</sup> edition       | water and wastewater, Determination of TDS  |
| APHA 2550: 24 <sup>th</sup> edition         | Temperature (Laboratory and Field Methods)  |
| APHA 3500-Ca B: 24 <sup>th</sup><br>edition | Calcium Hardness (EDTA Titrimetric Method)  |



International Accreditation Service, Inc.

| editionAPHA 4500-O G: 24thedition         | I (Electrometric Method)<br>ssolved oxygen (Membrane Electrode Method)   |
|---|--|
| edition                                   |  |
| APHA 5520 B: 24 <sup>th</sup> edition Oil |  |
|   | & Grease (Partition-Gravimetric Method)  |
|   | troleum Hydrocarbons   |
| ASTM C1603 Sta                            | andard Test Method for Measurement of Solids in Water  |
| ASTM D512 Ch                              | loride CI (Argentometric Method)   |
| ASTM D516 Sta                             | andard Test Method for Sulfate Ion in Water  |
| ASTM D5907 Sta                            | andard Test Methods for Filterable Matter (Total Dissolved Solids) and   |
| No  | onfilterable Matter (Total Suspended Solids) in Water  |
|   | andard Test Method for Water-Extractable Chloride in Aggregate (Soxhlet ethod)   |
| (CI                                       | andard Test Method for Potential Alkali-Silica Reactivity of Aggregates hemical Method) (Withdrawn 2016)                             |
| ASTM C1152 Sta                            | andard Test Method for Acid-Soluble Chloride in Mortar and Concrete  |
| ASTM C1218 Sta                            | andard Test Method for Water-Soluble Chloride in Mortar and Concrete   |
| ASTM C1582 Sta                            | andard Test Method for Acid-Soluble Chloride in Mortar and Concrete  |
| BS 1881-124 Te                            | sting Concrete - Methods for analysis of hardened concrete   |
| in (                                      | andard Test Methods for Water-Soluble Chlorides Present as Admixtures<br>Graded Aggregate Road Mixes (Withdrawn 2018)                |
| ASTM D4972 Sta                            | andard Test Methods for pH of Soils  |
| ASTM D5268 Sp                             | ecification for Topsoil Used for Landscaping and Construction Purposes   |
|   | ethods of test for soils for civil engineering purposes. Part 3: Chemical and ectro-chemical tests, Cl. 6 – Loss on ignition         |
|   | ethods of test for soils for civil engineering purposes. Part 3: Chemical and ectro-chemical tests, Cl. 7.3 – Water soluble sulphate |
|   | ethods of test for soils for civil engineering purposes. Part 3: Chemical and ectro-chemical tests, Cl. 7.9– Acid soluble sulphate   |
|   | ethods of test for soils for civil engineering purposes. Part 3: Chemical and ectro-chemical tests, Cl. 9.2 – Water soluble chloride |
| ele                                       | ethods of test for soils for civil engineering purposes. Part 3: Chemical and ectro-chemical tests, Cl. 9.3 – Acid soluble chloride  |
| ele                                       | ethods of test for soils for civil engineering purposes. Part 3: Chemical and ectro-chemical tests, Cl. 12.0 – pH                    |
| BS EN 1744-1 Te                           | sts for chemical properties of aggregates - Chemical analysis  |



